
# Mountain Plains States Consortium WIC System Project

# **DDI DELIVERABLE #07**

# SA 1 SYSTEM ADMINISTRATION SYSTEM-WIDE SCREENS DFDD

# (DETAILED FUNCTIONAL DESIGN DOCUMENT)

#### Presented to:



Revision Date: December 21, 2007

Prepared by



650 Wilson Lane, Suite 200 Mechanicsburg, PA 17055 717.691.5500

CO Contract #WIC0601052 CIBER Project #CODPH00201 Products and company names mentioned herein may be the trademarks or registered trademarks of their respective owners. Unmentioned brands or company names are also respected with their own registered trademarks. Some content may be a direct translation from their Web sites.

## **Document Revisions**

Revision Date	Updated By	Requested By	Description of Revision
8/23/07	CIBER	MPSC	Revision Version
11/30/07	CIBER	MPSC	Final Version
12/21/07	CIBER	MPSC	Updated Final Version

# **Table of Contents**

1	Auth	orization Keys	4		
2	Broa	dcast Message Setup	7		
3	Clinics				
	3.1	Search			
	3.2	New Clinic			
		3.2.1 Clinic Details			
4	Erro	r Messages	31		
5	List	Management	34		
6	Loca	l Agencies	39		
	6.1	Search	39		
	6.2	New Local Agency			
		6.2.1 Local Agency Details			
7		sages			
8	Syst	em Parameters	56		
9	Syst	em Monitoring	62		
	9.1	System Monitoring - Active Sessions	62		
	9.2	-,			
	9.3	System Monitoring - Error Log Details Pop-up Window			
10	Secu	ırity	77		
	10.1	Roles — Unit Permission/Role Relationship	78		
	10.2	Security - Roles - Assigned Staff Persons	87		
11	UI O	utput Management	89		
	11.1	UI Output Templates	89		
	11.2	UI Output Clinic Service Images	91		
12	User	s	95		
	12.1	Search	95		
	12.2	New User	98		
	12.3	User Details			
		12.3.1 User Properties	98 106		

# 1 Authorization Keys

The Connect to NDT (Network Downtime) Server allows the user within a clinic to connect to a stand-alone database when the central server is not available if a computer within the clinic is designated as the network downtime server. If a computer has been designated, the synchronization process will be executed on a daily basis in order to keep this database accurate and timely.


Disconnected processing is invoked when an outage occurs where clinic staff are unable to access the central server. A clinic user activates the NDT Server by logging onto the computer containing the NDT Server and clicking the Connect to NDT Server checkbox. At that time a pop-up window displays requiring the user to enter an authentication key that is provided by the State Help Desk. After entry of the authentication key the clinic operates in disconnected mode. The clinic is not authorized to access the central server until an upload synchronization is performed to transmit data from the NDT Server to the central server.

The Authorization Keys Screen creates and assigns the authentication key required by the clinic to operate in disconnected mode due to circumstances stated above. The key is based on a sync key that changes every time an NDT server performs synchronization; therefore, the key is valid until the next sync is performed on the NDT server in question.

The "Forced Download" option on this screen is available when there is a computer that does not need to be synchronized, but needs current central server data to be downloaded to it. This option is normally used when a computer that has not been accessed for a long period of time needs to be used for the clinic's operations. When a "Forced Download" occurs, data that is downloaded overwrites any data on the computer receiving the data. This process is not associated with NDT processing.

Refer to the Detailed Technical Specifications Document (DTSD) for more detailed information on this process.

> System-Wide Administration > Authorization Keys



Control	Description			
Get Key	Clicking the Get Key command button causes a key to be created for the logging in to the WIC application when required because of a forced upload/download.			
	Туре	Command Button		
	Hot Key Alt + K			
Select Any One - NDT or Forced Download	The radio button indicates whether the key is required for an NDT or Forced Download. NDT is used in clinics that normally in connected mode.			
	Туре	Radio Button		
	Required	Yes		
	DB Column	Not stored		
Local Agency	The ID and Nam	e of the Local Agency.		
	Туре	List Box		
	Required	Yes		
	DB Column	LocalAgency.FFLocalAgencyID, LocalAgency.Name		
	Code ID	LocalAgency table lookup		
Clinic	The ID and Nam	me of the Clinic within the LA selected.		
	Туре	List Box		
	Required	Yes, if NDT selected.		
	DB Column	Clinic.FFClinicID, Clinic.Name		
	Code ID	Clinic table lookup		
Instances	The name of the	computer.		
	Туре	List Box		
	Required	Yes, if Forced Download selected.		
	DB Column	Clinic.NDTComputerName		
	Code ID	Clinic table lookup		

Control		Desc	ription		
Instance	The instance of the computer within the clinic that is designated as the network downtime server. The instance is the name of the installation of the Data Base Management System (DBMS).				
	Type Text Box				
	Required	Yes, if NDT se	lected.		
	Length	NA	NA		
	Validation				
	Display Only	Yes. Will be blank if Forced Download is selected.	Calculated	No	
	DB Column	Clinic.NDTInstanceNm			
Key	The Authorization Key created that is required by the clinic to operate in disconnected mode.				
	Туре	Text Box			
	Required	NA			
	Length	4			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	Not Stored			


Business Rules	
1.	

Developer Notes	
1.	

# 2 Broadcast Message Setup

This screen allows for the setup of a message that displays to all users for a specified time period. The message appears to users the first time they have accessed the server after the broadcast message start date and time. This would normally be used to notify users that the system was going down or for other types of messages that needed to be disbursed quickly. When the message is displayed, the User ID of the last staff person that modified the message will be shown below the message. Refer to the System Overview for an example of a displayed Broadcast Message.

> System-Wide Administration > Broadcast Message Setup



Control	Description			
New	Clicking the New to be added.	command butte	on allows a broad	lcast message
	Туре	Command Button		
	Hot Key	Alt + N		
Edit	Clicking the Edit command button allows the broadcast message to be edited.			adcast message
	Туре	Command But	ton	
	Hot Key	Alt + T		
Delete	Clicking the Dele message to be o		itton allows the b	roadcast
	Туре	Command But	ton	
	Hot Key	Alt + D		
Broadcast Message Title	This is the record selector for the Broadcast message record contains the title of the broadcast message. The drop-down spin control allow selection of records that do not have an el date and end time in the past.			drop-down and
	Туре	Record Selecto	or	
	Contents	Text of Broado	ast Message Title	2
	DB Column	BroadcastMess	sage.Title	
Broadcast Message Title	This is the title for when the message		t message. It is n	ot displayed
	Туре	Text Box		
	Required	Yes		
	Length	40		
	Validation	NA		
	Display Only	No	Calculated	No
	DB Column BroadcastMessage.Title			
Start Date	The date the bro	the broadcast message will begin appearing to users.		
	Type Date Picker			
	Required	red Yes		
	Display Only	No <b>Calculated</b> No		No
	<b>DB Column</b> BroadcastMessage.StartDtTm			

Control	Description				
Start Time	This is the time the broadcast message will begin appearing to users on the day selected.				
	Туре	Text Box			
	Required	Yes	Yes		
	Length	8			
	Validation	Mask of hh:mr	n AM/PM		
	Display Only	No	Calculated	No	
	DB Column	BroadcastMess	sage.StartDtTm		
End Date	The date the bro	adcast message	will stop appear	ing to users.	
	Туре	Date Picker			
	Required	Yes			
	Display Only	No	Calculated	No	
	DB Column	BroadcastMessage.EndDtTm			
End Time	The time the broadcast message will stop appearing to users on the day selected.				
	Туре	Text Box			
	Required	Yes			
	Length	8			
	Validation	Mask of hh:mm AM/PM			
	Display Only	No	Calculated	No	
	DB Column	BroadcastMessage.EndDtTm			
Broadcast Message		nessage that will appear to the users the first accessed the server after the broadcast messago ime.			
	Туре	Multi Line Text Box			
	Required	Yes			
	Display Only	No	Calculated	No	
	DB Column	BroadcastMessage.Body			

Control	Description				
<last and="" by="" date="" modified="" user=""></last>	In the lower right-hand corner, the user and the date of the last update of the broadcast message record are displayed.				
	Туре	Text Box			
	Required	No			
	Length NA				
	Validation	Mask of 'firstname lastname mm/dd/yyyy'			
	Display Only	Yes	Calculated	No	
	DB Column	BroadcastMessage.ModifyStfpID + BroadcastMessage.ModifyDt			

- Broadcast messages, described here, are for emergency use and will only be seen once during an active session by each user. If a user logs out of the system and back into the system within the timeframe that the broadcast message is active, the message will be displayed again. The broadcast message will be seen as a pop-up window to the user (refer to the System Overview for an image of the pop-up window). Other types of messages are described in the Messages section of this document.
- 2. Only messages that have not yet been broadcast can be updated or deleted. If the Start Date and Time is in the past, the Edit and Delete command buttons are disabled.
- 3. Only messages that have not yet expired (end date and end time) in the future are available in the broadcast message record selector.

#### **Developer Notes**


1. In order for the user to be able to format the message appropriately, the broadcast message field is created using the rich text box control and saved to the database as an ".rtf."

### 3 Clinics

#### 3.1 Search

The Search screen provides functionality to search for clinics based on criteria entered. A wildcard character (%) may be used to search when a specific spelling is not known for the Clinic Name. Clicking the Search button on the search screen executes a search using the criteria provided. If more than one search criterion is entered, the criteria are joined by "and(s)" in the search statement.

> System-Wide Administration > Clinics > Search



Control	Description					
Clinic ID	The ID of the local clinic.					
	Туре	Text box				
	Required	No				
	Length	5				
	Validation	Numeric				
	Display Only	No	Calculated	No		
	DB Column	Clinic.FFClinicI	D			
Clinic Name	The name of the	clinic.				
	Туре	Text box				
	Required	No				
	Length	50				
	Validation	NA				
	Display Only	No	Calculated	No		
	DB Column	Clinic.Name				
Status	The status of the	e clinic, active or	r inactive. Default	ts to active.		
	Туре	List Box				
	Required	No				
	DB Column	Not stored				
	Code ID	See definition	in Developer Note	es.		
Local Agency ID	The Local Agency	y ID.				
	Туре	Text box				
	Required	No				
	Length	2				
	Validation	Numeric				
	Display Only	No	Calculated	No		
	DB Column	Clinic.FFLocalAgencyID				
Search	criteria provided	arch command button executes a search using the ed. If more than one search criterion is entered, joined by "and(s)" in the search statement.				
	Type Command Button					
	Hot Key	Alt + S				

Control	Description			
Search Results	The Search Results grid displays the results, if any, of a completed search. The sort sequence of the Search Results grid is alphabetic by Clinic Name.			
	Туре	Read-Only Dat	ta grid	
	Display Only	Yes	Calculated	No
Search Results - Clinic Name	A hyperlink to the Clinic Details screen. The screen will be displayed in edit mode. See the Clinic Details section of this document for details.			
	Туре			
Search Results - Clinic	The ID of the loc	al clinic.		
ID	Туре	Text box		
	Required	NA		
	Length	5		
	Validation	NA NA		
	Display Only	Yes	Calculated	No
	DB Column	Clinic.FFClinicID		
Search Results -	The Local Agency	y ID of local clinic.		
LA ID	Туре	Text box		
	Required	NA		
	Length	2		
	Validation	NA		
	Display Only	Yes	Calculated	No
	DB Column	Clinic.FFLocal	AgencyID	
Search Results - Status	The status of the	clinic, active o	r inactive.	
Туре		Text box		
	Required	NA		
	Length	NA		
	Validation	NA		
	Display Only	Yes	Calculated	No
	DB Column	Not stored, se	e Developer Note	<u></u>

- 1. The Search command button is the default command button (when enter key is pressed, the Search is performed).
- 2. Sort sequence of the Search Results grid is alphabetic by clinic name.
- 3. The use of a wild card character (%) as part of the Clinic Name search criterion allows

for broad searching. Ex: V% entered for Clinic Name would result in all Clinics that started with V. Ve% entered for Clinic Name would result in all Clinics that started with Ve.

#### **Developer Notes**

- If the Clinic.StatusEffectiveDt is <= current date and the Clinic.StatusEndDt is null or is > current date, a clinic is considered to have a status of "Active," else, it is considered to be "Inactive."
- 2. The search results grid does not allow for user-specified column sorting.
- 3. To display the Local Agency name, retrieve the Local Agency from the Local Agency table using the Clinic.FFLocalAgencyID and retrieve the Local Agency Name.

#### 3.2 New Clinic

Clicking the New Clinic leaf node in the System Administration navigation tree displays the Clinic Details screen described in the next section. The Clinic Details screen displays in edit mode with all fields blank when a new clinic is being added.

#### 3.2.1 Clinic Details

The Clinic Details screen is used to maintain a clinic's contact information, including names, addresses, and phone numbers. The Address area of the screen is where physical and mailing address information for the clinic is maintained. A hyperlink to the "Transfer Families to New Clinic" is also available on this screen.

A "travel clinic" is one that WIC staff go to on occasion to service participants that are too far from one of the main clinics. They are typically quite small and often somewhat makeshift and are conducted in locations such as the basement of a church. The equipment often travels with the staff and is set up each time the clinic operates. Some travel clinics may function twice a week while others may only be open once a month or every other month.

Disconnected mode is when users connect to a local database (i.e. computer that has synchronized) because they do not have access to the Internet and therefore cannot reach the central server. The majority of travel clinics operate in disconnected mode.

- > System-Wide Administration > Clinics > New Clinic **OR**
- > System-Wide Administration > Clinics > Search (click on Clinic link in Search Results)

				_
Clinic Name	Westside Clinic Co	ntact Title Office Manag	ger	Scheduler Time Scale 15 Minutes
Clinic ID	10992 Ema	nil Address WestSideClin	ic@uaonline.com	Scale Type
Local Agency	2 South Fork Business Phor	e Number (614) 774-90	09 Ext.	FI or EBT Stock Inventory Point
Contact Person	Mary Gates Business Fax	Number (614) 889-23	84	Download this clinic data to computers when synchronizing
	Effe	ctive Date 11/12/2006	~	computers when synchronizing
J.jnks.		End Date	~	
Transfer Families to New Clin	ic			
	LOUIS DO COLLEGE OF THE			
***************************************	avel Clinic Clinic Runs in Discon	· · · · · · · · · · · · · · · · · · ·		
: NDT Information			Auto-Dialer	:
Computer Name	Instance Name		Use Auto-Diale	er 🗸 Missed Appts 🗸 Future Appts 🗸 🔲 Days
Attention Name				
Physical Address		Mailing A	ddress	
,				
*Address Line 1		Addres	s Line 1	
Address Line 2		Addres	s Line 2	
Suite			Suite	
*City		P	. O. Box	
*State		▼	City	
*Zip Code	(+4)		State	
*County		Z	lip Code	(+4)
Clinic Altitude			County	

Control		Desc	ription		
Clinic Name	The name of the	clinic.			
	Туре	Text box			
	Required	Yes			
	Length	50			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	Clinic.Name			
Clinic ID	The ID of the loc Agency.	cal clinic. It must be unique within a Local			
	Туре	Text box			
	Required	Yes 5			
	Length				
	Validation	Numeric		_	
	Display Only	No	Calculated	No	
	DB Column	Clinic.FFClinicI	D		
Local Agency	The local agency	to which the cli	nic belongs.		
	Туре	List Box			
	Required	Yes			
	DB Column	LocalAgency.N	ame		
	Code ID	LocalAgency ta	able lookup		
Contact Person	The name of the	clinic's contact	person.		
	Туре	Text Box			
	Required	Yes			
	Length	40			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	Clinic.ContactN	<b>l</b> m		
Contact Title	The title of the c	linic's contact pe	erson.		
	Туре	Text Box			
	Required	No			
	Length	30			
	Validation	NA		1	
	Display Only	No	Calculated	No	
	DB Column	Clinic.Contact1	ītle		

Control		Desc	ription	
Email Address	The e-mail addre and [.].	ess of the clinic.	The address mus	st contain [@]
	Туре	Text Box		
	Required	No		
	Length	50		
	Validation	Mask of xxx@xxx.xxx		
	Display Only	No	Calculated	No
	DB Column	Clinic.EmailAd	dress	
Business Phone Number	The clinic's 10-digit phone number, including area code.  The first field is the area code. If the Default Area Code syster parameter contains a value, that value is placed into the area code field by default.  The second field is the phone number. Values cannot be keyed into the phone number field until an area code is keyed into the first field.			a Code system into the area
	Type Text Box			
	Required	No		
	Length	10		
	Validation	Numeric and C 9999	Complete, Mask o	f (999) 999-
	Display Only	No	Calculated	No
	DB Column	Clinic.Business Clinic.Business	•	
Ext.	The clinic's phon	e extension nun	nber.	
	Туре	Text Box		
	Required	No		
	Length	5		
	Validation	Numeric and C	Complete	
	Display Only	No	Calculated	No
	DB Column	Clinic.Business	PhoneExt	

Control	Description				
Business Fax Number	The first field is t	the area code. I ins a value, tha	, including area c f the Default Area t value is placed	a Code system	
			ber. Values canno ea code is keyed	•	
	Туре	Text Box			
	Required	No			
	Length	Numeric and Complete, Mask of (999) 999-999			
	Validation				
	Display Only	No	Calculated	No	
	DB Column	Clinic.FaxArea Clinic.FaxPhor	•		
Effective Date	The date the selecurrent date.	lected status becomes effective. Defaults to			
	Туре	Date Picker			
	Required	Required Yes			
	Display Only	No	Calculated	No	
	DB Column	Clinic.StatusEf	fectiveDt		
End Date	this control, the	ate the selected status ends. When a value is entered into ontrol, the status of the clinic will automatically change to ivated. If a value is removed, the status will become			
1	7 (00.7 0.1				
	Туре	Date Picker			
		Date Picker			
	Туре		Calculated	No	
	Type Required	No		No	
Scheduler Time Scale	Type Required Display Only DB Column The scheduler tir	No No Clinic.StatusEi ne scale is used d to display the	ndDt I for the schedule time intervals di	of a clinic. The	
Scheduler Time Scale	Type Required Display Only DB Column The scheduler tirtime scale is use	No No Clinic.StatusEi ne scale is used d to display the	ndDt I for the schedule time intervals di	of a clinic. The	
Scheduler Time Scale	Type Required Display Only DB Column The scheduler tirtime scale is use the scheduler is	No  Clinic.StatusEn  me scale is used d to display the opened for a cli	ndDt I for the schedule time intervals di	of a clinic. The	
Scheduler Time Scale	Type Required Display Only DB Column The scheduler tirtime scale is use the scheduler is Type	No No Clinic.StatusEi me scale is used d to display the opened for a cli Text Box	ndDt I for the schedule time intervals di	of a clinic. The	
Scheduler Time Scale	Type Required Display Only DB Column The scheduler tir time scale is use the scheduler is Type Required	No No Clinic.StatusEnter scale is used to display the opened for a clinic Text Box Yes 4	ndDt I for the schedule time intervals di	e of a clinic. The splayed when	
Scheduler Time Scale	Type Required Display Only DB Column The scheduler tirtime scale is use the scheduler is Type Required Length	No No Clinic.StatusEnter scale is used to display the opened for a clinic Text Box Yes 4	ndDt I for the schedule time intervals di nic.	e of a clinic. The splayed when	

Control		Desc	ription		
Scale Type	The scale type (d	lecimals, fractio	ns, metric) used	at the clinic.	
	Туре	List Box			
	Required	No			
	DB Column	Clinic.ScalesUs	sedCd		
	Code ID	ScalesUsed			
		This code element is non-editable.			
		The installed v	alues are:		
		Fraction Decimal			
		Metric			
FI or EBT Stock Inventory Point	A checkbox to indicate that the clinic maintains its own inventory for FI or EBT stock. If a clinic's stock inventory is maintained by the local agency, this checkbox will not be selected.				
	Туре	Checkbox			
	Display Only	No	Calculated	No	
	DB Column	Clinic.InventoryPointIn			
Download this clinic data to computers when synchronizing	A checkbox used system should do synchronization. downloaded to colinic is a travel of	ownload clinic/a Since data for omputers, this c	gency data durin stationary clinics	g can be	
	Туре	Checkbox			
	Required	No			
	DB Column	Clinic.Replicate	eIn		
Transfer Families to New Clinic	A hyperlink to th window. It is not families. See the section of this do	enabled if the o	current clinic does es to New Clinic I	s not have any	
	Туре	Link			
Operating Mode - Travel Clinic	A checkbox to indicate that the clinic always operates as a travel clinic. The value of this control determines if the schedule for this clinic is locked when in disconnected mode. If Travel Clinic is checked, then the Clinic Runs in Disconnected Mode check box is enabled.				
	Туре	Checkbox			
	Display Only	No	Calculated	No	
	DB Column	Clinic.Satellite	 [n		

Control		Desc	ription		
Operating Mode - Clinic Runs in Disconnected Mode			clinic operates in nly when Travel (		
	Туре	Checkbox			
	Display Only	No	Calculated	No	
	DB Column	Clinic.Disconn	ectedClinicIn		
NDT Information - Computer Name	The name of the computer within the clinic that is designated the network downtime server. Refer to the Authorization K section of this document for information on the use of this			rization Keys	
	Туре	Text Box			
	Required	No			
	Length	Length100ValidationNA			
	Validation				
	Display Only	No	Calculated	No	
	DB Column	Clinic.NDTCom	nputerNm		
NDT Information - Instance Name	as the network dinstallation of the	lowntime server e Data Base Ma tion Keys section	thin the clinic than The instance is nagement Systen n of this documer ald.	the name of the n (DBMS). Refer	
	Туре	Text Box			
	Required	No			
	Length	100			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	Clinic.NDTInst	anceNm		
Auto-Dialer – Use Auto- Dialer	A checkbox to indicate that the clinic uses the auto-dialer to missed or future appointments. See the CS Clinic Services Interface with Auto Dialer DFDD for more information.			c Services	
	Туре	Checkbox			
	Display Only	No	Calculated	No	
	DB Column	Clinic.AutoDial	lerIn		

Control		Desc	ription		
Auto-Dialer – Missed Appts	to call missed ap missed. Disable Uncheck if Auto-	pointments the until Auto-Diale Dialer – Use Au	clinic desires for t day after an app er – Use Auto-Dia to-Dialer is unche Auto Dialer DFD	ointment is ler is checked. ecked. See the	
	Туре	Checkbox			
	Display Only	No	No		
	DB Column	Clinic.AdMisse	dAptIn		
Auto-Dialer – Future Appts	A checkbox to indicate that the clinic desires for the auto-contocal future appointments a set number of days before the scheduled appointment. Disable until Auto-Dialer – Use Auto-Dialer is checked. Uncheck if Auto-Dialer – Use Auto-Dialer unchecked. See CS Interfaces for more information.			before the r – Use Auto- Auto-Dialer is	
	Туре	Checkbox			
	Display Only	No	Calculated	No	
	DB Column	Clinic.ADFutur	eApptIn		
Auto-Dialer - Days	This number indicates how many days in advance of an appointment the auto-dialer will call about an appointment Disable until Auto-Dialer – Use Auto-Dialer is checked. Cle Auto-Dialer – Use Auto-Dialer is unchecked. See the CS Cl Services Interface with Auto Dialer DFDD for more informa				
	Туре	Text Box			
	Required	No			
	Length	Integer 2			
	Validation	Numeric			
	Display Only	No	Calculated	No	
	DB Column	Clinic.ADDays!	Nr		
Attention Name		nis name, if one	when the addres exists, appears of ttention name].		
	Туре	Text Box			
	Required	No			
	Length	40			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	Clinic.Attention	nNm		

Control		Desc	ription		
Physical Address - Address Line 1			cal address. Eithe Sox must contain		
	Туре	Text Box			
	Required	Yes – If no dat	ta in PO Box		
	Length	30			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	Clinic.Physical:	StreetAddrLine1		
Physical Address -	The second, opti cannot contain d		clinic's physical a ine 1 is blank.	nddress. It	
Address Line 2	Туре	Text Box			
	Required	No			
	Length	30			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	Clinic.Physical	StreetAddrLine2		
Physical Address -	The suite inform	ation of the clin	ic's physical addr	ess.	
Suite	Туре	Text Box			
	Required	No			
	Length	5			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	Clinic.Physical	Suite		
Physical Address - City	The City component of the clinic's physical address. The C must be valid for the value entered in ZIP Code. When a Z Code is entered, and no value exists in the City, City is automatically populated based on the ZIP Code value. If a Code has more than one possible City value, the choices a displayed to the user who must select the correct value.			When a ZIP City is value. If a ZIP choices are	
	Туре	Text Box			
	Required	Yes			
	Length	30			
	Validation	NA		,	
	Display Only	No	Calculated	No	
	DB Column	Clinic.Physical	City		

Control		Desc	ription		
Physical Address - State	The State field ic When a ZIP Code State and/or Cou populated based	e is entered, and unty fields, those	d no value exists e fields are auton	in the City,	
	Туре	List Box			
	Required	Yes			
	DB Column	Clinic.Physicals	State		
	Code ID	State table lookup			
Physical Address - Zip Code	The 5-digit ZIP Code of the clinic's physical address. The ZIP Code must be valid for the value entered in State. When a ZIP Code is entered, and no value exists in the City State and/or County fields, those fields are automatically populated based on the ZIP Code. If a ZIP Code has more than one possible City and/or County value, the possible choices are displayed to the user who must select the correct value.			e. When a ZIP State and/or Ilated based on ossible City	
	Туре	Text Box			
	Required	Yes			
	Length	5			
	Validation	Numeric and C	Complete		
	Display Only	No	Calculated	No	
	DB Column	Clinic.Physical	ZipCode		
Physical Address - (+4)	The optional, 4-c address.	ligit ZIP Code e	xtension of the cl	inic's physical	
	Туре	Text Box			
	Required	No			
	Length	4			
	Validation	Numeric and C	Complete		
	Display Only	No	Calculated	No	
	DB Column	Clinic.Physical	ZipPlus4		

Control	Description			
Physical Address - County	The county wher must be valid for When a ZIP Code County is autom. If a ZIP Code has possible choices correct value.	the value entered, and attically populate smore than one	red in ZIP Code. d no value exists ed based on the Z	in the County, ZIP Code value. value, the
	Туре	List Box		
	Required	Yes		
	DB Column	Clinic.Physical	CountyNm	
	Code ID	County table lo	ookup	
Physical Address – Clinic Altitude	within Clinic Serv	This is the altitude of the clinic. When entered, this is used within Clinic Services to appropriately calculate blood risk levels due to altitude variation.		
	Туре	List Box		
	Required	Yes		
	DB Column	Clinic.Altitude(	Code	
	Code ID	Altitude This code element is non-editable. The installed values are: < 3000 ft 3000-3999 ft 4000-4999 ft 5000-5999 ft 6000-6999 ft 7000-7999 ft 8000-8999 ft 9000-9999 ft > = 10,000 ft		
Mailing Address - Address Line 1	The first line of t must contain a v valid address.			
	Туре	Text Box		
	Required	Yes – If no dat	a in PO Box	
	Length	30		
	Validation	NA		
	Display Only	No	Calculated	No
	DB Column	Clinic.MailingS	treetAddrLine1	

Control		Desc	ription	
Mailing Address -			clinic's mailing ac Address Line 1 is	
Address Line 2	Туре	Text Box		
	Required	No		
	Length	30		
	Validation	NA		
	Display Only	No	Calculated	No
	DB Column	Clinic.MailingStreetAddrLine2		
Mailing Address -	The suite informa	ation of the clini	ic's mailing addre	ss.
Suite	Туре	Text Box		
	Required	No		
	Length	5		
	Validation	NA		
	Display Only	No	Calculated	No
	DB Column	Clinic.MailingS	uite	
Mailing Address - P.O. Box	The Post Office Box number of the clinic's mailing address. Either Address Line 1 must contain a value or P.O. Box must contain a value in order to have a valid mailing address.			). Box must
	Туре	Text Box		
	Required	Yes – If no dat	a in address line	1
	Length	5		
	Validation	NA		
	Display Only	No	Calculated	No
	DB Column	Clinic.MailingP	ОВох	
Mailing Address - City	be valid for the ventered, and no populated based than one possible	The City component of the clinic's mailing address. The City mube valid for the value entered in ZIP Code. When a ZIP Code is entered, and no value exists in the City, City is automatically populated based on the ZIP Code value. If a ZIP Code has more than one possible City value, the choices are displayed to the user who must select the correct value.		
	Туре	Text Box		
	Required	Yes		
	Length	30		
	Validation	NA		
	Display Only	No	Calculated	No
	DB Column	Clinic.MailingC	ity	

Control		Desc	ription	
Mailing Address - State		e is entered, and unty fields, thos	d no value exists e fields are auton	in the City,
	Туре	List Box		
	Required	Yes		
	DB Column	Clinic.MailingState State table lookup		
	Code ID			
Mailing Address - Zip Code	The 5-digit ZIP Code of the clinic's mailing address. The ZIP Code must be valid for the value entered in State. When a ZIP Code is entered, and no value exists in the City State and/or County fields, those fields are automatically populated based on the ZIF Code. If a ZIP Code has more than one possible City and/or County value, the possible choices are displayed to the user who must select the correct value.			en a ZIP Code is d/or County ased on the ZIP City and/or
	Туре	Text Box		
	Required	Yes		
	Length	5		
	Validation	Numeric and C	Complete	
	Display Only	No	Calculated	No
	DB Column	Clinic.MailingZ	ipCode	
Mailing Address - (+4)	The optional, 4-d address.	digit ZIP Code e	xtension of the cl	inic's mailing
	Туре	Text Box		
	Required	No		
	Length	4		
	Validation	Numeric and C	Complete	
Display Only No Calculate			Calculated	No
	DB Column	Clinic.MailingZ	ipPlus4	

Control		Desc	ription	
Mailing Address - County	The county of the mailing address of the clinic. The County must be valid for the value entered in ZIP Code.			
	When a ZIP Code is entered, and no value exists in the County, County is automatically populated based on the ZIP Code value. If a ZIP Code has more than one possible County value, the possible choices are displayed to the user who must select the correct value.			
	Туре	List Box		
	Required	Yes		
	DB Column	Clinic.MailingCountyNm		
	Code ID	County table lo	ookup	
<last and="" by="" date="" modified="" user=""></last>	In the lower righ update of the clir	·	the user and the displayed.	date of the last
	Туре	Text Box		
	Required	No		
	Length	NA		
	Validation	Mask of 'firstname lastname mm/dd/yyyy'		
	Display Only	Yes	Calculated	No
	DB Column	Clinic.ModifySt	fpID + Clinic.Mod	difyDt

- 1. An End Date cannot be entered if there are families assigned to the clinic. Display error.
- 2. The End Date cannot be in the future. Display error.
- 3. The End Date cannot precede the Effective Date. Display error.
- 4. Address Line 2 cannot be entered if Address Line 1 is blank (for both the Physical and Mailing addresses). Display error.

#### **Developer Notes**

- 1. The parameter "Default Area Code" will be used if a state has one area code. If the Default Area Code parameter contains a value, the area code field on every screen which has a family, participant, local agency, clinic, vendor, or referral organization phone number is filled with the Default Area Code value.
- 2. Tab order for address should go from Address Line 2 to the ZIP code field, then to Suite, PO Box, City (then continuing using standard tabbing sequencing). This tab order will allow the user to use the automatic ZIP code database that is incorporated in the data system. When more than one city or county is covered by the entered ZIP code, a pop-up window presents all cities or counties covered by the ZIP code for the user to select the appropriate ZIP code.
- 3. The code to be used for the email validation is:

#### **Developer Notes**

Dim ex As New Regex(" $^([\w-\.]+)@((\[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.](([\w-\]+\.)+))([a-zA-Z]{2,4}|[0-9]{1,3})(\]?)$") If Not ex.IsMatch(EmailAddress.Value) Then `It is invalid End IF$ 

### 3.2.1.1 Transfer Families to New Clinic Pop-Up Window

The Transfer Families to New clinic pop-up window is used to transfer all families from the clinic currently displayed on the clinic screen to the selected destination clinic. This function is used when a clinic is being closed or an existing clinic is being moved to a new location.



Control	Description			
Destination LA/Clinic	The clinic the family(ies) is/are being transferred to. It cannot be the same as the current clinic.			
	Type List Box			
	Required	Yes		
	DB Column	Clinic.FFLocalAgencyID Clinic.FFClinicID		
	Code ID	Clinic table lookup		
Transfer All Families	Clicking the Transfer All Families command button closes the pop-up window and returns the user to the Clinic screen. All families in the Clinic displayed on the Clinic screen are reassigned to the Destination Clinic.			
	Туре	Command Button		
	Hot Key	Alt + L		
Close	Clicking the Close command button closes the Transfer For to New Clinic pop-up window and returns the user to the screen. No transfers are made.			
	Туре	Command Button		
	Hot Key	Alt + C		

- 1. If Educator defined, make field blank on transfer of the family.
- 2. If BF Peer Counselor assigned, make field blank on transfer of the family.
- 3. When transfer processing is complete, display confirmation message.


#### **Developer Notes**

1. The current location of a family is stored in the table FamilyClinic. Clicking the transfer family button causes new records to be written to FamilyClinic. Additionally, end dates must be filled in for the 'old' Family Clinic records.

# 4 Error Messages

The Error Messages screen allows the user to view screen messages that are displayed throughout the system.

> System-Wide Administration > Error Messages



Control	Description				
Error Codes / Numbers		ord selector for the system error records. It the error messages displayed throughout the WIC			
	Туре	Record Selector			
	Contents	System error records			
	DB Column	Error.PublicErrorCd			
Error Code / Number	The error code or number that is displayed along with the erro text to the user.			d along with the error	
	Туре	Text B	ox		
	Required	NA			
	Length	4			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	Error.PublicErrorCd			
Message Box Type	The type of message box displayed to the user.  The values are Error, Information, Question and Warning.				
	Туре	Text Box			
	Required	NA			
	Length	12			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	Error.MessageBoxType			
Error Description / Message	The error description or message that is displayed along with the error number to the user.  Text displayed within {} are data variables that are replaced wire context values when the message is displayed.			s that are replaced with	
	Туре	Text Box			
	Required	NA			
	Length	2000 NA			
	Validation				
	Display Only	Yes	Calculated	No	
	DB Column	Error.PublicErrorDc			

Control	Description				
Resolution / Escalation	The error resolution and/or escalation associated with the message. The resolution is marked as Self Explanatory when the message description fulfills the purpose.				
	Escalation is described in the context of whether system technical support is required to resolve the error condition.				
	Туре	Text Box			
	Required NA				
	Length	2000 on NA			
	Validation				
	Display Only	Yes	Calculated	No	
	<b>DB Column</b> Error.Resolution				


Business Rules	
1.	

Developer Notes	
1.	

# 5 List Management

The List Management screen allows the user to view the list items of the drop-downs used throughout the system. It also allows the editing of items that permit editing.

> System-Wide Administration > List Management



Control	Description				
List Name	This is the record selector for the List Management/Code Type records				
	Туре	Record Selector			
	Contents	Code Type Records			
	DB Column	CodeType.ShortDc			
Description	The long description of the Code Types. This text describes where the list is used. If a list is used on more than one screen, that will be noted in this description.				
	Туре	Text box			
	Required	NA			
	Length	NA			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	CodeType.Long	gDc		
Can Edit	Indicates which, if any, rows in the List Values data grid are updateable. A value of "None" indicates that none of the codes for that code type can be edited (Sex for example). A value of "All" indicates that all of the codes for that code type can be edited (Breastfeeding Termination Reason for example). A value of "Some" indicates that some of the codes for that code type can be edited (Participant Termination Reason - Some termination reasons cannot be edited based on processes in the system that require a specific termination reason to be present; however, other termination reasons could be added that would not affect system processing).				
	Туре	Text box			
	Required	NA			
	Length	4			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	CodeType.CanEditCd			
List Values		s data grid displays all list items in the selected it have at least one list item.			
	Туре	Data Grid			
	Display Only	Yes	Calculated	No	

Control		Desc	ription		
List Values - Assigned Code	The data that is saved in the database when the list box is picked.				
	Туре	Text Box			
	Required	Yes, if Can Edit = Yes; else NA			
	Length	4			
	Validation	NA			
	Display Only	No when a New Row is being added; Yes when a row is being updated.	Calculated	No	
	DB Column	Code.AssignedCd			
List Values - Description	The text of the list item; this is the text that is displayed on one line of the selected drop-down list.				
	Туре	Text box			
	Required	Yes, if Can Edit = Yes; else NA			
	Length	50			
	Validation	NA			
	Display Only	No if Can Edit = Yes; Yes if Can Edit = No	Calculated	No	
	DB Column	Code.LongDc			
List Values - Sort Order	The numeric digit(s) identifying the sequence of the list item in the displayed list.				
	Туре	Text box			
	Required	No, if Can Edit = Yes; else NA			
	Length	Integer 4			
	Validation	Numeric			
	Display Only	No if Can Edit = Yes; Yes if Can Edit = No	Calculated	No	

Control		Desc	ription		
List Values - Can Edit	Indicates whether	er the code can	be edited (Yes or	No).	
	Туре	Text box			
	Required	NA			
	Length	NA			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	Code.CanEditI	n		
List Values - Deactivate		used to indicate a Code Value was deactivated. code values are not displayed throughout the			
	Туре	Checkbox			
	Display Only	No if Can Edit = Yes; Yes if Can Edit = No	Calculated	No	
	DB Column	Code.Status			
Add Row	Clicking the Add editing.	Row button ope	ens up a blank rov	w in the grid for	
	Туре	Command But	ton		
	Hot Key	Alt + A			
<last and="" by="" date="" modified="" user=""></last>	In the lower righ update of the cod		the user and the opposite splayed.	date of the last	
	Туре	Text Box			
	Required	No			
	Length	NA			
	Validation	Mask of 'firstna	ame lastname mr	m/dd/yyyy′	
	Display Only	Yes	Calculated	No	
	DB Column	Code.ModifyStfpID + Code.ModifyDt			

- 1. If CodeType.CanEditCd (Can Edit) = "None," the Add Row command button is disabled.
- 2. Display Error if "List Values Assigned Code" is not unique within each code type.
- 3. The sort order does not have to be unique.

# **Developer Notes**

1. There are three possible values for the "Can Edit Indicator": "All", "None", or "Some'"

If the CanEditCd is set to "All" then all of the codes can be edited. If the CanEditCd is set to "None", then none of the codes can be edited. If the CanEditCd is set to "Some" then refer to the CanEditIn on the code to determine if the code can be edited.


- 2. If "Can Edit" equals "All," set the "List Values Can Edit Indicator" (Code.CanEditIn) to "Yes" (true) when a new row has been added by the user.
- 3. If "Can Edit" equals "Some," set the "List Values Can Edit Indicator" (Code.CanEditIn) to "Yes" (true) for any new rows added by the user.
- 4. If Code.CanEditIn (List Values Can Edit Indicator) = True (1), display "Yes"; else display "No."

# 6 Local Agencies

# 6.1 Search

The Search screen provides functionality to search for local agencies based on criteria entered. A wildcard character (%) may be used to search when a specific spelling is not known for the Local Agency Name. Clicking the Search button executes a search using the criteria provided. If more than one search criterion is entered, the criteria are joined by "and(s)" in the search statement.

> System-Wide Administration > Local Agencies > Search



Control	Description				
Local Agency ID	The local agency	ID.			
	Туре	Text Box			
	Required	No			
	Length	2			
	Validation	Numeric			
	Display Only	No	Calculated	No	
	DB Column	LocalAgency.F	FLocalAgencyID		
Local Agency Name	The name of the	local agency.			
	Туре	Text Box			
	Required	No			
	Length	50			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	LocalAgency.N	ame		
Status	The status of the	local agency, c	lefaults to Active.		
	Туре	List Box			
	Required	No			
	DB Column	LocalAgency.S	tatus		
	Code ID	Record Status			
Search	provided. If mor	e than one sear	utes a search usir ch criterion is en the search state	tered, the	
	Туре	Command But	ton		
	Hot Key	Alt + S			
Search Results	The Search Results grid displays the results, if any, of a completed search. The sort sequence of the Search Results is alphabetical by Agency Name. The Local Agency Name find a link, highlighted and underlined to the Local Agency screen				
	Туре	Data grid			
	Display Only	Yes	Calculated	No	

Control	Description					
Search Results -	The name of the	local agency.				
Local Agency Name	Туре	Text box				
	Required	NA				
	Length	NA				
	Validation	NA				
	Display Only	Yes Calculated No				
	DB Column	LocalAgency.Name				
Search Results -		e Local Agency Details screen. The screen will be mode. See the Local Agency Details section of r details.				
Local Agency Name	Туре	Link				
Search Results -	The local agency	ID.				
Local Agency ID	Туре	Text box				
	Required	NA				
	Length	2				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	LocalAgency.F	FLocalAgencyID			
Search Results - Status	The status of the	local agency, A	Active or Inactive			
	Туре	Text Box				
	Required	NA				
	Length	NA				
	Validation	NA				
	Display Only	y Yes <b>Calculated</b> No				
	DB Column	LocalAgency.Status				
	Code ID	Record Status				

- 1. Local Agencies are sorted in the search results grid by Agency Name.
- 2. The Search command button is the default command button (when enter key is pressed, the Search is performed).

3. The use of a wild card character (%) as part of the Local Agency Name search criterion allows for broad searching. Ex: V% entered for Local Agency Name would result in all Local Agencies that started with V. Ve% entered for Local Agency Name would result in all Local Agencies that started with Ve.

# **Developer Notes**

1. The search results grid does not allow for user-specified column sorting.

# 6.2 New Local Agency

Clicking the New Local Agency leaf node in the System Administration navigation tree displays the Local Agency Details screen described in the next section. The Local Agency Details screen displays in edit mode with all fields blank when a new local agency is being added.

# 6.2.1 Local Agency Details

The Local Agency Details screen is used to maintain all the information for a local agency. This includes data such as local agency name, ID, contact information, address and the status of the local agency. A list of all the clinics that belong to the local agency can be viewed on this screen as well.

- > System-Wide Administration > Local Agencies > New Local Agency OR
- > System-Wide Administration > Local Agencies > Search (click on Local Agency link in Search Results)



Control	Description					
Local Agency Name	The Local Agency	y name.				
	Туре	Text box				
	Required	Yes				
	Length	50				
	Validation	NA				
	Display Only	No <b>Calculated</b> No				
	DB Column	LocalAgency.Name				
Local Agency ID	The Local Agency	y ID.				
	Туре	Text Box				
	Required	Yes				
	Length Integer 2					
	Validation	Numeric				
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.F	FLocalAgencyID			
Contact Person	The name of the	contact person	for the local age	ncy.		
	Туре	Text Box				
	Required	Yes				
	Length	40				
	Validation	NA				
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.C	ontactNm			
Contact Title	The title of the lo	ocal agency's co	ntact person.			
	Туре	Text Box				
	Required	No				
	Length	30				
	Validation	NA				
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.C	ontactTitle			

Control		Desc	ription			
LA Retail Coordinator	The name of the	Local Agency R	etail Coordinator	(LARC).		
	Туре	Text Box				
	Required	No				
	Length	40				
	Validation	NA				
	Display Only	No Calculated No				
	DB Column	LocalAgency.R	etailCoordinator			
Business Phone Number	The local agency's 10-digit phone number, including area of the first field is the area code. If the Default Area Code sy parameter contains a value, that value is placed into the a code field by default.  The second field is the phone number. Values cannot be keen into the phone number field until an area code is keyed into first field.			a Code system into the area		
	Туре	Type Text Box				
	Required	Yes				
	Length	10				
	Validation	Numeric and C 9999	Complete, Mask o	f (999) 999-		
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.BusinessAreaCode, LocalAgency.BusinessPhoneNr				
Ext.	The local agency	's phone extens	ion number.			
	Туре	Text Box				
	Required	No				
	Length	5				
	Validation	Numeric and C	Complete			
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.B	usinessPhoneExt			

Control		Desc	ription		
Business Fax Number	The first field is t parameter conta code field by def The second field	gency's 10-digit Fax number, including area code.  Id is the area code. If the Default Area Code system contains a value, that value is placed into the area y default.  field is the Fax number. Values cannot be keyed into nber field until an area code is keyed into the first  Text Box			
	Туре	Text Box			
	Required	No			
	Length	10			
	Validation	Numeric and C 9999	f (999) 999-		
	Display Only	No <b>Calculated</b> No			
	DB Column	LocalAgency.F.	axAreaCode, axPhoneNumber		
Email Address	The e-mail addre		agency. The addre	ess must	
	Туре	Text Box	x		
	Required	No			
	Length	50			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	LocalAgency.E	mailAddress		
BF PC	Counselors) are	sed to indicate that BF PC (Breastfeeding Peer re available in the local agency. When this is BF PC questions are displayed in the assessmen			
	Туре	Checkbox			
	Display Only	No	Calculated	No	
	DB Column	LocalAgency.B	FPCIn		

Control		Desc	ription			
Deactivate	A check box used When selected, a checkbox).		ocal agency is no abled (except for			
	Туре	Checkbox				
	Display Only	No <b>Calculated</b>		No		
	DB Column	LocalAgency.S	tatus			
Attention Name	An attention nam letter or label. Th address line in th	nis name, if one	exists, appears of			
	Туре	Text Box				
	Required	No				
	Length	40				
	Validation	NA				
	Display Only	No Calculated		No		
	DB Column	LocalAgency.AttentionNm				
Address Line 1	The first line of the local agency's address. Either Address must contain a value or P.O. Box must contain a value valid address.					
	Туре	Text Box				
	Required	Yes – If no dat	a in PO Box			
	Length	30				
	Validation	NA				
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.StreetAddrLine1				
Address Line 2	The second, option		local agency's ad blank.	dress. It cannot		
	Туре	Text Box				
	Required	No				
	Length	30				
	Validation	NA				
	Display Only	y No Calculated No				
	DB Column	LocalAgency.S	treedAddrLine2			

Control	Description					
Suite	The suite informa	ation of the loca	ıl agency's addres	ss.		
	Туре	Text Box				
	Required	No				
	Length	5				
	Validation	NA	NA			
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.S	uite			
P.O. Box		nust contain a v	he local agency's alue or P.O. Box ailing address.			
	Туре	Text Box				
	Required	Yes – If no dat	a in address line	1		
	Length	5				
	Validation	NA				
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.P	OBox			
City	The City component of the local agency's address. The City must be valid for the value entered in ZIP Code. When a ZIP Code is entered, and no value exists in the City, City is automatically populated based on the ZIP Code value. If a ZIP Code has more than one possible City value, the choices are displayed to the user who must select the correct value.					
	Туре	Text Box				
	Required	Yes				
	Length	30				
	Validation	NA				
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.C	ity			
State	When a ZIP Code	dentifies the state of the local agency's address. e is entered, and no value exists in the City, unty fields, those fields are automatically on the ZIP Code.				
	Туре	List Box				
	Required	Yes				
	DB Column	LocalAgency.S	tate			
	Code ID	LocalAgency ta	able lookup			

Control		Desc	ription		
Zip Code	must be valid for entered, and no fields, those field Code. If a ZIP Co	ode of the local agency's address. The ZIP Code the value entered in State. When a ZIP Code is value exists in the City State and/or County is are automatically populated based on the ZIP ode has more than one possible City and/or e possible choices are displayed to the user who correct value.			
	Туре	Text Box			
	Required	Yes			
	Length	5			
	Validation	Numeric and C	Complete		
	Display Only	No	Calculated	No	
	DB Column	LocalAgency.Z	ipCode		
(+4)	The optional, 4-c address.	ligit ZIP Code e	cal agency's		
	Туре	Text Box			
	Required	No			
	Length	4			
	Validation	Numeric and Complete			
	Display Only	No	Calculated	No	
	DB Column	LocalAgency.Z	ipPlus4		
County	must be valid for When a ZIP Code County is automa If a ZIP Code has	he county where the local agency's office is located. The Countriust be valid for the value entered in ZIP Code.  Then a ZIP Code is entered, and no value exists in the County ounty is automatically populated based on the ZIP Code value is a ZIP Code has more than one possible County value, the cossible choices are displayed to the user who must select the principle.			
	Туре	List Box			
	Required	Yes			
	DB Column	LocalAgency.C	ountyNm		
	Code ID	County table lo	ookup		
Clinics		grid displays a list of all clinics (inactive and g to the selected agency. The sort sequence of by Clinic ID.			
	Туре	Data Grid			

Control		Desc	ription		
Clinic ID	The ID of the loc	al clinic.			
	Туре	Text box			
	Required	NA			
	Length	5			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	Clinic.FFClinicI	D		
Clinic Name	The name of the	clinic.			
	Туре	Text box			
	Required	NA			
	Length	NA			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	Clinic.Name			
Status	The status of the	e clinic, active o	r inactive.		
	Туре	Text box			
	Required	NA			
	Length	8			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	Not Stored (se	ee Dev Note 4)		
<last and="" by="" date="" modified="" user=""></last>	In the lower righ record update ar		the user and the	date of the last	
	Туре	Text Box			
	Required	No			
	Length	NA			
	Validation	Mask of 'firstna	ame lastname mi	m/dd/yyyy'	
	Display Only	Yes	Calculated	No	
	DB Column	LocalAgency.ModifyStfpID + LocalAgency.ModifyDt			

- 1. Local Agency ID must be unique within the system. Display error.
- 2. When the local agency is deactivated, all fields (except for the deactivate checkbox) are disabled.

1. The code to be used for the email validation is:

Dim ex As New Regex("^([\w-\.]+)@((\[[0-9]{1,3}\.[0-9]{1,3}\.](0-9]{1,3}\.)|(([\w-]+\.)+))([a-zA-Z]{2,4}|[0-9]{1,3})(\]?)\$") If Not ex.IsMatch(EmailAddress.Value) Then `It is invalid End IF

- 2. The parameter "Default Area Code" will be used if a state has one area code. If the Default Area Code parameter contains a value, the area code field on every screen which has a family, participant, local agency, clinic, vendor, or referral organization phone number is filled with the Default Area Code value.
- 3. Tab order for address should go from Address Line 2 to the ZIP code field, then to Suite, PO Box, City (then continuing using standard tabbing sequencing). This tab order will allow the user to use the automatic ZIP code database that is incorporated in the data system. When more than one city or county is covered by the entered ZIP code, a pop-up window presents all cities or counties covered by the ZIP code for the user to select the appropriate ZIP code.
- 4. The Clinic Status is based on the Clinic.StatusEffectiveDt and the Clinic.StatusEndDt. The clinic is 'active' if the Clinic.StatusEffectiveDt is <= current date and the Clinic.StatusEndDt is null or is > current date.

System Parameter	Purpose	Format
System.DefaultAreaCod e	Provides the statewide area code. This parameter is used if a state has only one area code. If the Default Area Code parameter contains a value, the area code field on every screen which has a family, participant, local agency, clinic, vendor, or referral organization phone number is autopopulated with the Default Area Code value. See Developer Note 2.	Integer

# 7 Messages

The Messages screen is used to post messages which are viewed by all users statewide. Messages are posted in Sys Admin and viewed by users via the System tab on the Information panel. When the message is displayed, the User ID of the last staff person that modified the message will be shown below the message.

> System-Wide Administration > Messages

Messages	Support Staff I	Message	<b>~</b>	1 of 99	> 4	New	₫ Edi	X Delete
	*Title	Support Staff Message			]			
	*Category	Notification		~				
	Functional Area	Clinic Services	~					
	High Priority	<b>v</b>						
	*Posted Date	03/22/2007		Expirati	on Date	03/22/2	2007 🗸	
*Message								

Control		Des	cription		
New	Clicking the New record. Cursor is		ton opens up a beld.	llank message	
	Туре	Command Bu	Command Button		
	Hot Key	Alt + N			
Edit	Clicking the Edit		on allows editing	g to be done on	
	Туре	Command Bu	tton		
	Hot Key	Alt + T			
Delete	Clicking the Del message.	Clicking the Delete command button deletes the current message.			
	Туре	Command Bu	tton		
	Hot Key	Alt + D			
Messages	This is the recor	This is the record selector for the system messages records.			
	Туре	Record Selector			
	Contents	The titles of all unexpired messages.			
	DB Column	Message.Title	!		
Title	The title of the	selected messag	je.		
	Туре	Text box	Text box		
	Required	Yes			
	Length	40			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	Message.Title	Message.Title		
Category	The category of examples).	the message (I	Notification, Forn	nula for	
	Туре	List Box			
	Required	Yes	Yes		
	DB Column	Message.Cate	egoryCd		
	Code ID	Message Cate	egory		

Control		Desc	ription		
Functional Area	The area of the s Vendor Managen	•	r relates to (Clinices).	Services,	
	Туре	List Box			
	Required	Yes			
	DB Column	Message.Busir	nessServiceCd		
	Code ID	Business Servi	ice		
		This code elem	nent is non-edital	ole.	
		The installed v	alues are:		
		System-Wide			
		Clinic Services			
		Scheduler			
		Vendor Manag	ement		
		Operations			
		Finance			
		Food Managen System Admin			
High Priority	A ale a al c le ave	,		ala maianila (Himb	
Trigit Priority			nessage has a hig in red text on the		
	Туре	Checkbox	Checkbox		
	Display Only	No	Calculated	No	
	DB Column	Message.Highl	PriorityIn		
Posted Date	The date that a r	nessage was po	sted.		
	Туре	Date Picker			
	Required	Yes			
	Display Only	No	Calculated	No	
	DB Column	Message.Poste	edDt		
Expiration Date	The date that the System tab.	te that the message will no longer be displayed on the n tab.			
	Туре	Date Picker			
	Required	No			
	Display Only	No	Calculated	No	
	DB Column	Message.Expir	ationDt		

Control	Description				
Message	The text of the n	nessage that wil	l be displayed.		
	Туре	Text box			
	Required	Yes			
	Length	1000			
	Validation	NA			
	Display Only	isplay Only No Calculated No			
	DB Column	Message.Body			
<last and="" by="" date="" modified="" user=""></last>	In the lower righ update of the me	•	the user and the creater displayed.	date of the last	
	Туре	Text Box			
	Required	No			
	Length	NA			
	Validation Mask of `firstname lastname mm/dd/yyy			n/dd/yyyy'	
	Display Only	Yes	Calculated	No	
	DB Column	Column Message.ModifyStfpID + Message.ModifyDt			


- 1. Posted date cannot be a date in the past. Display error.
- 2. Expiration date cannot be before posted date. Display error.

# Developer Notes 1.

# 8 System Parameters

The System Parameters screen allows the user to manage the system parameters.

> System-Wide Administration > System Parameters



Control		Desc	ription	
Edit	The Edit commar parameter. Clicki system paramete	ing the Edit butt	on enables all da	
	Туре	Command But	ton	
	Hot Key	Alt + T		
Parameter Name	This is the record contains all of th			
	Туре	Record Selecto	or	
	Contents	System param	eter records	
	DB Column	SystemParame	eter.Name	
Parameter Type	The type of para or Decimal Pair).	meter (Integer, Integer Pair, Character, Decimal		
	Туре	Text Box		
	Required	NA		
	Length	NA		
	Validation	NA		
	Display Only	Yes	Calculated	No
	DB Column	SystemParame	eter.ParameterTy	peCd
	Code ID	Parameter Type This code element is non-editable. Installed values are: Integer Integer Pair Character Decimal Decimal Pair		
Can Edit	Indicates if parar		ited.	
	Туре	Text Box		
	Required	d NA 1		
	Length			
	Validation	1 Displays as \	es/0 Displays as	No
	Display Only	Yes	Calculated	No
	DB Column	SystemParameter.CanEditIn		

Control	Description			
Description	The description of	of the system pa	arameter.	
	Туре	Text Box		
	Required	NA		
	Length	NA		
	Validation	NA		
	Display Only	Yes	Calculated	No
	DB Column	SystemParame	eter.Description	
Data - Integer	The value of the	the Integer when the parameter type is Integer.		
	Туре	Text box		
	Required	No		
	Length	Integer 4		
	Validation	Numeric		
	Display Only	No, if Parameter Type = Integer	Calculated	No
	DB Column	SystemParame	eter.Integer	
Data - Integer Min	The value of the Pair.	Integer Min wh	en the parameter	type is Integer
	Туре	Text box		
	Required	No		
	Length	Integer 4		
	Validation	Numeric		
	Display Only	No, if Parameter Type = Integer Pair	Calculated	No
	DB Column	SystemParame	eter.PairMin	

Control		Desc	ription		
Data - Integer Max	The value of the Pair.	Integer Max wh	nen the paramete	r type is Integer	
	Туре	Text box			
	Required	No			
	Length	Integer 4			
	Validation	Numeric			
	Display Only	No, if Parameter Type = Integer Pair	Calculated	No	
	DB Column	SystemParame	eter.PairMax		
Data - Decimal	The value of the	e Decimal when the parameter type is Decimal.			
	Туре	Text box			
	Required	No			
	Length	Decimal 9,2			
	Validation	Numeric			
	Display Only	No, if Parameter Type = Decimal	Calculated	No	
	DB Column	SystemParame	eter.Decimal		
Data - Decimal Min	The value of the Decimal Pair.	Decimal Min wh	nen the paramete	r type is	
	Туре	Text box			
	Required	No			
	Length	Decimal 9,2			
	Validation	Numeric			
	Display Only	No, if Parameter Type = Decimal Pair	Calculated	No	
	DB Column	SystemParame	eter.PairMin		

Control		Desc	ription	
Data - Decimal Max	The value of the Decimal Pair.	Decimal Max w	hen the paramete	er type is
	Туре	Text box		
	Required	No		
	Length	Decimal 9,2		
	Validation	Numeric		
	Display Only	No, if Parameter Type = Decimal Pair	Calculated	No
	DB Column	SystemParame	eter.PairMax	
Data - Character	The value of the Character.	the Character when the parameter type is		
	Туре	Text box		
	Required	No		
	Length	70		
	Validation	NA		
	Display Only	No, if Parameter Type = Character	Calculated	No
	DB Column	SystemParame	eter.Character	
<last and="" by="" date="" modified="" user=""></last>	In the lower right-hand corner, the user and the date of the last update of the system parameter record are displayed.			
	Туре	Text Box		
	Required	No		
	Length	NA		
	Validation	Mask of 'firstn	ame lastname mi	m/dd/yyyy′
	Display Only	Yes	Calculated	No
	DB Column	SystemParame	eter.ModifedStfpI	D + ModifiedDt

- 1. Decimal Max cannot be < Decimal Min. Display error.
- 2. Integer Max cannot be < Integer Min. Display error.
- 3. Any Integer, Integer Pair, Decimal or Decimal Pair that does not have a value entered in the corresponding Data field will default to zero.

- 1. If the Parameter Type = Integer, only the "Data Integer" field is enabled.
- 2. If the Parameter Type = Integer Pair, only the "Data Integer Min" and "Data Integer Max" fields are enabled.
- 3. If the Parameter Type = Decimal, only the "Data Decimal" field is enabled. If an integer is entered, two decimal places with a value of "00" will be saved.
- 4. If the Parameter Type = Decimal Pair, only the "Data Decimal Min" and "Data Decimal Max" fields are enabled.
- 5. If the Parameter Type = Character, only the "Data Character" field is enabled.

# 9 System Monitoring

# 9.1 System Monitoring - Active Sessions

The Active Sessions is a view-only screen which allows the user to view all active sessions.

> System-Wide Administration > System Monitoring > Active Sessions



Control		Desc	ription		
Refresh	The Refresh command button queries the system and updates a data fields. Number of Sessions Active in the Last [number] Mins: is recalculated using the number of minutes that was displayed before the refresh was selected. The [number] is redisplayed with value used in recalculation.			st [number] s that was	
	Туре	Command But	ton		
	Hot Key	None			
First Logon Date	The logon datetime stamp of the active session which has be active the longest.			hich has been	
	Туре	Text box			
	Required	NA			
	Length	19			
	Validation	Mask of mm/dd/yyyy/ hh:mm AM/PM			
	Display Only	Yes	Calculated	No	
	DB Column	ActiveSession.	InsertDt		
Last Activity Date	The datetime stamp of the active session whic recent activity.			nas the most	
	Туре	Text box			
	Required	NA			
	Length	19			
	Validation	Mask of mm/d	d/yyyy/ hh:mm /	AM/PM	
	Display Only	Yes	Calculated	No	
	DB Column	ActiveSession.	ModifyDt		
Total Active Sessions	includes compute	number of active sessions in the WIC system. This omputers while they are being synchronized. The er's session is not counted.			
	Туре	Text box			
	Required	NA			
	Length	10			
	Validation	Numeric			
	Display Only	Yes	Calculated	Yes	
	DB Column	NA			

Control	Description				
Total Unique Users	The total numbe system. The cur		s currently logge counted.	d into the	
	Туре	Text box			
	Required	NA			
	Length	10			
	Validation	Numeric			
	Display Only	Yes	Calculated	Yes	
	DB Column	NA			
Show	The Show command button queries the system to determine the number of sessions that are active and have had some kind of activity in the last [number] minutes and displays the result in Number of Sessions Active in the Last [number] Mins.:.			some kind of sthe result in	
	Туре	Command Button			
	Hot Key	Alt + O			
[number]	The number of minutes to be used when calculating the Number of Sessions Active in the Last [number] minutes. Defaults to 15.				
	Туре	Text box			
	Required	No			
	Length	3			
	Validation	Numeric			
	Display Only	No	Calculated	Yes	
	DB Column	NA			
Number of Sessions Active in the Last [number] Mins.:			at have been acti d are still currentl		
	Туре	Text box			
	Required	NA			
	Length	10			
	Validation	NA			
	Display Only	Yes	Calculated	Yes	
	DB Column	NA			

Control		Desc	ription		
Active Sessions	The Active Sessions data grid displays information regarding each active session. The data is sorted by logon date, descending.				
Active Sessions - UserID	The User ID of the session.	ne user who is o	currently logged i	n the active	
	Туре	Text box			
	Required	NA			
	Length	60			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	ActiveSession.	Stfp_ID		
Active Sessions - Synchronization		ndicates that the computer is logged on for a synchronization ession and thus timeouts are not allowed.			
	Туре	Text box			
	Required	NA			
	Length	1			
	Validation	Yes/No			
	Display Only	Yes	Calculated	No	
	DB Column	ActiveSession.	PreventTimeoutI	n	
Active Sessions - Status			ses other than Acot cleaned them o		
	Туре	Text box			
	Required	NA			
	Length	1			
	Validation	Active/Inactive	e		
	Display Only	Yes	Calculated	No	
	DB Column	ActiveSession.Status			

Control		Desc	ription		
Active Sessions LA ID/	The LA and Clinic	c where the use	r is currently log	ged on.	
Clinic	Туре	Text box			
	Required	NA			
	Length	NA			
	Validation	99-9999			
	Display Only	Yes Calculated No			
	DB Column	Clinic.FFLocalAgencyID + Clinic.FFClinicID + Clinic.ClinicName			
Active Sessions - Logon	The datetime sta	camp the user logged on in the current session.			
Date	Туре	Text box			
	Required	NA			
	Length	19			
	Validation	Mask of mm/d	d/yyyy hh:mm A	.M/PM	
	Display Only	Yes	Calculated	No	
	DB Column	ActiveSession.	InsertDt		
Active Sessions - Last Activity Date	The datetime sta	amp of the user	s last activity in t	the current	
	Туре	Text box			
	Required	NA			
	Length	19			
	Validation	Mask of mm/d	d/yyyy hh:mm A	M/PM	
	Display Only	Yes	Calculated	No	
	DB Column	ActiveSession.	ModifyDt		

1. When determining active sessions, the current user is not counted.

# **Developer Notes**


- 1. The First Logon Date is derived by finding the ActiveSession.InsertDt that is the oldest.
- 2. The Last Activity Date is derived by finding the ActiveSession.ModifyDt that is the most recent.
- 3. Total Active Sessions is the number of active User IDs where ActiveStatus.Status = "A."
- 4. Total Unique Users is the number of unique ActiveSession.Stfp\_IDs found in the Total Active Sessions.

- 5. The User ID is displayed using the ActiveSession.Stfp\_ID and retrieving the StaffPerson.UserID from the Staff Person table.
- 6. The Clinic ID displayed in the LA Clinic ID field is determined using the ActiveSession.Cln\_id and retrieving the Clinic.FFClinicID from the Clinic table. The Local Agency (LA) is retrieved using the Clinic.FFLocalAgencyID from the Clinic Table and retrieving the Agency ID from the Local Agency table.
- 7. If ActiveSession.Status = "A," display Active in the grid; if "D," display Inactive.
- 8. The Number of Sessions Active in the Last [number] Mins.: is the number of sessions that have been active (some kind of activity) within the last [number] of minutes: ActiveSession.Status = "A" and ActiveSession.ModifyDt is in the following timeframe: Current datetime minus [number] of minutes.

# 9.2 System Monitoring - Error Logs

The Error Logs screen allows the user to view the system error log.

> System-Wide Administration > System Monitoring > Error Logs



Control		Desc	ription	
Load/Refresh	updates the Erro	rs data grid. If nd Date fields,	ton queries the s a date range is p the results are lir	rovided in the
	Туре	Command Button		
	Hot Key	Alt + L		
LA/Clinic	The clinic to use	in the error log	search.	
	Туре	List Box		
	Required	No		
	DB Column	Clinic.FFLocal Clinic.FFClinic.Name		
	Code ID	Clinic table lookup		
User ID	The User ID to u	use in the error log search.		
	Туре	Text Box		
	Required	No		
	Length	60		
	Validation	NA		
	Display Only	No	Calculated	No
	DB Column	StaffPerson.Us	serID	
Start Date	The beginning dadisplayed in the		span for which er grid.	rors are
	Туре	Date Picker		
	Required	No		
	Display Only	No	Calculated	No
	DB Column	ErrorLog.Inser	tDt	
End Date	The end date of displayed in the		for which errors	should be
	Туре	Date Picker		
	Required	No		
	Display Only	No	Calculated	No
	DB Column	ErrorLog.Inser	tDt	

Control	Description				
Computer Name	The computer in use when the error occurred.				
	Туре	Text Box			
	Required	No			
	Length	100			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	ErrorLog.Computer			
DB Source	The data base in	data base in use when the error occurred.			
	Туре	Text Box			
	Required	No			
	Length	255			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	ErrorLog.DBSource			
Group ID	The group that the system grouped the errors related to one instance of the error occurrence into.				
	Туре	Text Box			
	Required	No			
	Length	Integer 7			
	Validation	Numeric			
	Display Only	No	Calculated	No	
	DB Column	ErrorLog.FFIDGrouping			
Errors	The Errors data grid lists all errors for the system between the start and end dates. The records in the grid are sorted by error date, descending.				
	Туре	Data Grid			
Errors - Details	Hyperlink to Error Log details. See the System Monitoring - Error Log Details Pop-up Window section for more information.				
	Туре	Link			

Control	Description				
Errors - Group ID	The group that the system grouped the errors related to one instance of the error occurrence into.				
	Туре	Text Box			
	Required	NA			
	Length	7			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	ErrorLog.FFIDGrouping			
Errors - User ID	The user ID for t	ID for the session which generated the error.			
	Туре	Text box			
	Required	NA			
	Length	60			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	ErrorLog.InsertStfpID			
Errors - Clinic Name	The Clinic Name for the session which generated the error.				
	Туре	Text box			
	Required	NA			
	Length	NA			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	Clinic.Name			
Errors - Error Date	The date when the error occurred.				
	Туре	Text box			
	Required	NA			
	Length	NA			
	Validation	Mask of mm/dd/yyyy			
	Display Only	Yes	Calculated	No	
	DB Column	ErrorLog.ErrorDt			

Control	Description				
Errors - Computer Name	The computer in use when the error occurred.				
	Туре	Text box			
	Required	NA			
	Length	NA			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	ErrorLog.Computer			
Errors - DB Source	The data base the user was connected to when the error occurred.				
	Туре	Text Box			
	Required	NA			
	Length	NA			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	ErrorLog.DBSource			
Errors - Error Type	The type of error that was produced.				
	Туре	Text box			
	Required	NA			
	Length	NA			
	Format	NA			
	Display Only	Yes	Calculated	No	
	DB Column	ErrorLog.ErrorLogType			

- 1. The End Date cannot precede the Start date. Display Error.
- 2. The search results are displayed in Error Date descending sequence.
- 3. The errors grid is blank when the screen is first displayed.
- 4. The Clinic ID will be populated with the first Clinic in the drop down list, and the start date will default to current date when the screen is first displayed.

#### **Developer Notes**

- 1. Both the User ID and Clinic ID are identified in ErrorLog.ELog\_SessionId.
- 2. The search results grid does not allow for user-specified column sorting.
- 3. The Clinic and User ID of an individual error will be retrieved from the Active Sessions

Table or Inactive Sessions Table using the Session ID on the Error Log Table.

# 9.3 System Monitoring - Error Log Details Pop-up Window

The Error Log Details Pop-Up Window allows the user to view the error log details. The Error Logs Detail screen is accessed from the hyperlink on the Errors Grid displayed on the Errors Log Screen.



Control		Desc	ription			
Group ID	The group that to instance of the e		ped the errors re into.	lated to one		
	Туре	Text Box				
	Required	NA				
	Length	7				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.FFID	Grouping			
Clinic Name	The Clinic for the	session which	generated the er	ror.		
	Туре	Text box				
	Required	ired NA				
	Length	NA				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	Clinic.Name				
DB Source	The data base th occurred.	ie user was con	nected to when t	he error		
	Туре	Text Box				
	Required	NA				
	Length	NA				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.DBS	ource			
Computer Name	The name of the	computer in us	e when the error	occurred.		
	Туре	Text box				
	Required	NA				
	Length	NA				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.Computer				

Control		Desc	ription			
User ID	The User ID for	the session whic	ch generated the	error.		
	Туре	Text box				
	Required	NA				
	Length	60				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.Inser	tStfpID			
Error Occurred On	The date and tin	ne when the erro	or occurred.			
	Туре	Text box				
	Required	NA				
	Length	NA				
	Validation	Mask of mm/d	d/yyyy hh:mm:s	SS		
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.Error	Dt			
Log Type	The type of erro	r that was produ	ıced.			
	Туре	Text box				
	Required	NA				
	Length	NA				
	Format	NA				
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.Error	LogType			
System	The system in w	hich the error o	ccurred (WIC).			
	Туре	Text box				
	Required	NA				
	Length	NA				
	Format	NA		_		
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.Syste	em			

Control		Desc	ription			
Error Code	The number of the	ne error that wa	s produced.			
	Туре	Text box				
	Required	NA				
	Length	100				
	Format	NA				
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.Syste	emErrorCd			
Public Error Code	The error numbe occurred.	er that was displ	ayed to the user	when error		
	Туре	Text box				
	Required	<b>d</b> NA 50				
	Length					
	Format	NA				
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.Publi	cErrorCd			
Public Error Description	The error descript occurred.	otion that was d	isplayed to the us	ser when error		
	Туре	Text box				
	Required	NA				
	Length	NA				
	Format	NA				
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.Publi	cErrorDc			
Log Description	The description of	of the error that	occurred.			
	Type Text box					
	Required	NA NA NA				
	Length					
	Format					
	Display Only	Yes	Calculated	No		
	DB Column	ErrorLog.Desc	ription			

Control	Description					
Stack Trace	The Stack Trace for the error that occurred.					
	Туре	Text box				
	Required	NA				
	Length	NA				
	Format	NA				
	Display Only	Yes Calculated No				
	DB Column	ErrorLog.StackTrace				
Close	Clicking the Clos Log Screen.	Close command button returns the user to the Error				
	Туре	Command Button				
	Hot Key	Alt + C				

Business Rules	
1.	

Developer Notes	
1.	

# 10 Security

Security within the MPSC system is role-based. This means that within the system, roles that allow a specific set of system permissions are created. These groupings of permissions are based upon standard job responsibilities. Subsequent to creating standard system roles, resources are assigned to these roles. Further, roles assigned can be for all local agencies and/or clinics to which a user has access, or defined at the local agency and clinic level.

# 10.1 Roles — Unit Permission/Role Relationship

The following provides definitions for security concepts discussed in this section:

**Role** - A role is a collection of permissions that allows access to system functions. A role can have permissions to access different business objects from the same functional area (e.g., Blood, Anthro and Certification).

Role Examples - CPA, Vendor Coordinator, Vendor Administrator, Support Staff

**Functional Area Unit** - A functional area unit is defined as either a business object or a sequence of tasks that the user requests the system to perform.

Business Object Examples - Anthro, Blood work, Time Study

Business Task Examples – Reinstate, Income determination

**Today** – 'Today' determines if the permission allows the business object data to be edited on the day it was created. It is only available for business objects in Clinic Services.

**Levels of Data** – This identifies the lowest level of access that is available for that functional area unit.

State Level - The functional area unit is only accessible at the State Level.

Local Agency Level – The functional area unit is accessible at the State Level or Local Agency Level.

Clinic Level – The functional area unit is accessible at the State Level, Local Agency Level or Clinic Level.

The following chart shows examples of data availability at the three data levels:

Functional Area	<b>Functional Area Unit</b>	Level
Clinic Services	Blood	Clinic
Clinic Services	Anthro	Clinic
Clinic Services	CS Simple Search	Clinic
Scheduler	Clinic Operating Schedule	Clinic
Scheduler	Appointment	Clinic
Vendor Management	Vendor Search	LA
Vendor Management	New Vendor	LA
Vendor Management	Vendor Risk	LA
Vendor Management	Investigation	LA
System Admin	Codes	State
System Admin	Parameters	State
System Admin	Clinic	State
System Admin	Agency	State
Finance	WIC Grant	State
Finance	Fiscal Year	State

**Functional Area Unit Permissions** - Functional Area Unit Permissions define the accessibility on a particular unit assigned to the role.

<u>User Change Level</u> - Determines if the user can change (add, edit, delete) data, as well as view data. If change permission is granted, it also determines at what level the data can be changed.

If change permission is allowed, the four levels at which the data can be changed are:

<u>Current Clinic</u> - allows the user to change the data belonging to the clinic in which the user is currently active.

<u>Assigned Clinics - Current LA</u> - allows the user to change the data belonging to any clinic in which the user has been assigned in the Local Agency in which the user is currently active.

<u>All Clinics - Current LA</u> - allows the user to change the data belonging to any clinic in the Local Agency in which the user is currently active.

<u>Assigned LAs</u> - allows the user to change the data belonging to all the clinics within the Local Agencies to which they have been assigned. If the user is assigned to all Local Agencies in the state, this will be considered state-wide change access.

<u>User Today Level</u> - Determines if the user can edit or delete a business object created on the same day. This permission is only applicable to Clinic Services.

<u>User View Level</u> - Determines if the user can view data for which he or she does not have Change Level access.

User Execute Level - Determines if the user can run or perform a sequence of tasks.


The Unit Permission/Role Relationship screen is used to define and manage roles as well as the relationships between the roles and business objects/business tasks (collectively known as Functional Area Units). Functional area units along with their corresponding permissions are assigned to roles. A business object permission/role relationship defines the permissions (change or view) granted to a specific role and whether the business object is a task. This screen is used to assign specific business object/task permissions to user roles.

The assignment of users to roles is described in the 'Users' section of this document. Users log in to only one local agency and clinic at any given time. The clinic logged in to is considered the user's "active" clinic and will continue to be the "active" clinic until the user changes his or her clinic (by either logging out and logging back in to a different clinic or by using the "Change Clinic" function that is available from the File Menu throughout the functional areas of the system). The login process determines the security based on the permission levels set on the business objects and tasks.

Some standard roles will be created and provided during the installation. New roles can be added by authorized users where special circumstances warrant different access rights than those included with the standard roles. Functional area units are created at design time, and cannot be edited by the user.

The screen below shows the Role "CPA" and all the business objects associated with the Role "CPA." The Functional Area is "Clinic Services."

### > System-Wide Administration > Security > Unit Permission/Role Relationship



Control	Description					
New	Clicking the New When selected, t Copy, Select, and Functional Area l	he Role and Fu d Clear comma	nctional Area are nd buttons are d	e blan	k and the	
	Туре	Command Bu	tton			
	Hot Key	Alt + N				
Edit	Clicking the Edit	t command button enables the editable fields.				
	Туре	Command Bu	tton			
	Hot Key	Alt + T				
Deactivate	active. A role car	box used to indicate that the role is no longer annot be deactivated if a user is currently assigned users must be unassigned from the role before it ated.				
	Туре	Checkbox				
	Display Only	No	Calculated	No		
	DB Column	Role.Status				
Role	This is the record selector for all security Roles (e.g. CPA, Ve Coordinator, Vendor Administrator, Support Staff). Users in security permissions from the security role they are assigned				sers inherit	
	Туре	Record Select	or			
	Contents	All Role Recor	ds			
	DB Column	Role.Name				
Role	The security Role Administrator, So		PA, Vendor Coor	dinato	r, Vendor	
	Туре	Text box				
	Required	Yes				
	Length	50				
	Validation	NA				
	Display Only	No	Calculate	d	No	
	DB Column	Role.Name				
Сору	Clicking the Copy command button causes a new role record to displayed. The role field is blank, and the Functional Area contains the previous role's value. The data in the grid is populated from the previous role and is available for update.			Area contains		
1	Type Command Button					
	туре	Confinanti	Sutton			

Control	Description				
Select	Clicking the Select command button causes the Functional Area to become disabled. The Clear command button is enabled and the Functional Area Units grid is populated with all the units from the Functional Area selected. The Select command button is disabled if the displayed role is currently assigned to a user or if the Functional Area has not been selected.				
	Туре	Command Button			
	Hot Key	None			
Clear	Clicking the Clear command button causes the Functional Area an Functional Area Units grid to be cleared of data and enabled. The Clear button is then disabled as well as the Copy command buttor The Clear command button is disabled if the displayed role is currently assigned to a user.				
	Туре	Command Button			
	Hot Key	Alt + L			
Functional Area	The area of the sy Management for e	stem the role relates to (Clinic Services, Vendor xamples).			
	Туре	List Box			
	Required	Yes			
	DB Column	Jnit.BusinessServiceCd			
	Code ID	Business Service			
		This code element is non-editable.			
		The installed values are:			
		System-Wide			
		Clinic Services			
		Scheduler Vander Management			
		Vendor Management Operations			
		Finance			
		Food Management			
		System Administration			

Control	Description						
Functional Area Units	The data grid displays all units that are associated with the Functional Area selected. Each role can have multiple units assigned to it. Units are the technical components of the application, which are defined at development and cannot be edited. The permissions within each unit can be edited by the user after installation of the system. At least one unit must be assigned to a role.						
	Туре	D	ata Grid				
	Display Only	Ν	lo	Cal	culated	No	
Name	The name of the Role's permission					hich	the Security
	Туре		Record Selec	ctor			
	Contents		Names of Ur	nits			
	DB Column		Unit.Name				
Туре	Indicates whether the unit pertains to data (i.e. screen of data) or pertains to a task (i.e. command button). Values are Data and Task.						
	Туре	Т	ext Box				
	Required	Ν	IA				
	Length	Ν	IA				
	Validation	Ν	IA				
	Display Only	Υ	es		Calculated		No
	DB Column	U	nit.TaskIn				
Today		es whether the functional area unit business object allows for permission "User Today Level" to be assigned. Values are Yes No.					
	Туре	Т	ext Box				
	Required	NA					
	Length	NA NA					
	Validation						
	Display Only	Υ	es		Calculated		No
	DB Column	Unit.TodayIn					

Control	Description					
Level	Determines at w assigned (Clinic,			ss object/	'task ca	n be
	Туре	Text Box				
	Required	NA				
	Length	NA				
	Validation	NA				
	Display Only	Yes		Calculat	ted	No
	DB Column	Unit.StateI	n, Unit.L	AIn, Unit	.ClinicIn	1
User Change Level		change level of the business object/task. Values As, Assigned Clinics-Current LA, All Clinics-Current nic, and None.				
	Туре	Listbox				
	Display Only	See Business Rules	Business			
	DB Column	See Develo	per Note	!S		
User Today Level	Determines if the was created. It is required when "Today" has a va	s only availal Foday" has a	ble for ui value of	nits in Cli "Yes" an	nic Serv d disab	vices. It is led when
	Туре	Listbox				
	Display Only	Yes, when Today = No	Calcula	ated	No	
	DB Column	See Develo	per Note	.s.		
User View Level		ether the permission includes the right to view data ewide, Assigned LAs, All Clinics – Current LA, and				
	Туре	Listbox				
	Display Only	See Business Rules Calculated No				
	DB Column	See Developer Notes.				

Control	Description					
User Exec Level	Determines whether the permission includes the right to execute a task. It is only available if Type = Task. Values are Execute and None.					
	Туре	Listbox				
	Display Only	Yes, if Type = Data  Calculated No				
	DB Column	See Developer Notes.				

- 1. The Functional Area, Clear Button, Select Button and Deactivate Checkbox are disabled if the role is currently assigned to a user.
- 2. The Select command button is disabled until the Functional Area is selected.
- 3. When Type has a value of Data

User Change Level and User View Level are required for that row. Display error.

User Exec Level is disabled with a value of None for that row.

4. When Type has a value of Task

User Exec Level is required for that row. Display error.

User Change Level is disabled with a value of None for that row.

User View Level is disabled with a value of None for that row.

User Today Level is disabled with a value of None for that row.

5. When "Today"

equals Yes, User Today Level is required. Display error.

equals No, User Today Level is disabled with a value of None for that row.

6. When Level has a value of Clinic

pre-set values for the User View Level are Statewide, Assigned LAs, All Clinics – Current LA and None.

pre-set values for the User Change Level are Assigned LAs, All Clinics – Current LA, Current Clinic and None.

7. When Level has a value of LA

pre-set values for the User View Level are Statewide, Assigned LAs and None.

pre-set values for the User Change Level are Assigned LAs, All Clinics – Current LA and None.

8. When the Level is set to State

pre-set values for the User View Level are Statewide and None.

pre-set values for the User Change Level are Assigned LAs and None.

- 9. Units are defined at development and cannot be changed.
- 10. When the Clear command button is selected and changes have been made but not saved, a confirmation message is displayed.
- 11. When the Clear command button is selected, the Functional Area is enabled and cleared

of any data. The Copy and Clear command buttons are disabled and the grid is cleared of data.

- 12. At least one unit must be assigned to a role. Display error.
- 13. When the Select command button is selected, the Data Type objects have the User View Level set to None and the Task Type objects have the User Exec Level set to None.
- 14. Display an error message stating that a User View Level of All Clinics Current LA is incompatible with a User Change Level of Assigned LAs.

### **Developer Notes**

- 1. The sort order of the business objects is determined by a field in the Unit table that is set by the developer.
- 2. User Change Level is for all modification capabilities (New, Edit or Delete) that an object may have.
- 3. Business Objects that have access of None are not explicitly saved. Therefore, when a saved role is displayed, the system will pick up all business objects in the functional area. Any new ones will be picked up and the following fields will default to None: User Today Level, User View Level, User Exec Level.
- 4. Name, Type, Today and Level values are set by the developer according to the business object's use in the system.

Name - The business objects/tasks that are populated in the grid are those where Unit.BusinessServiceCd = the selected Functional Area.

Type - If Unit.TaskIn = 0, Type is set to Data, else it is set to Task.

Today - If Unit.TodayIn = 0, Today is set to No, else it is set to Yes.

Level -

If Unit.\_StateIn = true, Level = Statewide

If Unit.\_LAIn = True, Level = Local Agency

If Unit.\_ClinicIN = True, Level = Clinic

# 10.2 Security - Roles - Assigned Staff Persons

The Assigned Staff Persons screen is read-only. It displays all staff persons that have been assigned to the selected role. Staff persons are assigned to specific roles on the User Clinic Permissions Screen.

> System-Wide Administration > Security > Assigned Staff Persons

Assigned Staff Persons						
	Name	User ID	Job Title			
>	Thomas Williams	tw990	Support Staff			
	John Smitherson	js191	Vendor Coordinator			
	Sally Wilkens	sw009	Manager			

Control		Desc	ription			
Assigned Staff Persons	The Staff Person member that is o					
	Туре	Read-Only Data Grid				
	Display Only	Yes	No			
Name	The name of the	WIC user/staff person.				
	Туре	Text Box				
	Required	NA				
	Length	NA				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	StaffPerson.Fin StaffPerson.La StaffPerson.Mi				
User ID	The User ID of th	ne selected user	/WIC staff perso	on.		
	Туре	Text Box	Text Box			
	Required	NA				
	Length	60				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	StaffPerson.Us	serID			
Job Title	rson (e.g. nurse,	on (e.g. nurse, dietician,				
	Туре	List Box				
	Required	NA	NA			
	bTitleCd					
	Code ID	Job Title				

Business Rules	
1.	

Developer Notes	
1.	

# 11 UI Output Management


The UI Output Management area allows a user to modify the UI Outputs confined to some specific capabilities. Templates are used throughout the system. In some cases, Clinic Service UI Outputs use images in their header or footer. These screens allow changes to occur but are not completely restrictive and as such assumes technical competency of the user.

# 11.1 UI Output Templates

The UI Output Templates screen allows the user to modify the UI Output Templates that are used throughout the system. These UI Output Template Names are based on the system DFDDs and are named by the development team. A standard naming convention will be used where the UI Output Template name will be the UI name from the DFDD. If the UI Output is from the Scheduler or Clinic Services functional areas, the word English or Spanish will be appended to the name (again as directed in the DFDD). If a UI has both an English and Spanish version, two templates will be needed to capture the text portion. The data variables will be the same and will print in English only (no translation).

The user must understand the technical nature of the format of the template and limit their updates to only the text portion of the template.

> System-Wide Administration > UI Output Management > UI Output Templates



Control	Description					
UI Output Template	This is the record selector for the UI Output template records. It contains the template name. The drop-down and spin control allow selection of category records.					
	Туре	Record	Selector (Non-De	ate)		
	Contents	UI Out	put Template Nar	nes		
	DB Column	UIOutp	outTemplate.Nam	е		
Display in English Notices Listing	Indicates whether to include this UI in the File Menu Notice Listings for English speaking families. This File Menu is used the Scheduler and Clinic Services functional areas.					
	Туре	Checkb	oox			
	Display Only	No	Calculated	No		
	DB Column	UIOutp	outTemplate.Outp	utLanguageCd		
Display in Spanish Notices Listing	Indicates whether to include this UI in the File Menu Notice Listings for Spanish speaking families. This File Menu is used in the Scheduler and Clinic Services functional areas.					
	Туре	Checkb	heckbox			
	Display Only	No	Calculated	No		
	DB Column	UIOutputTemplate.OutputLanguageCd				
Main Body	text and technical system to print that they have the template without	body of the UI Output template. It contains the ral markup language used by the code in the the various UI Outputs. The user must be sure the technical understanding to change text in the rat causing the creation of the UI Output to fail. test all changes immediately.				
	Туре	Multi L	ine Text Box			
	Required Yes					
	Display Only	No Calculated No				
	DB Column	UIOutputTemplate.Body				

1. Do not include the Daily Calendar in the UI Output Template record selector. Note: The printed calendar is part of the purchased calendar product and therefore not available for any state customization.


Developer Notes	
1.	

# 11.2 UI Output Clinic Service Images

Clinic Services has UI Outputs where images are desired to be inserted in the header or footer. This screen allows the user to manage these images. Whether a clinic service UI Output uses the image is detailed in the respective UI Output's business rules. These images are created outside of the system and loaded into the system using this screen. It is suggested that black and white images be created since UI outputs will be typically be printed in black and white. There is only one of these images in the system at any one time.

The header image is meant to assist the recipient of the UI Output to recognize quickly that the letter is from the WIC organization. The Breastfeeding Message image is meant to promote breastfeeding awareness.

> System-Wide Administration > UI Output Management > UI Output Clinic Services Images



Note: Image should be less than .5 and 1 inch wide as to not distort the printed UI Output.

Control	Description					
Clinic Services Header Image – Choose Image	Clicking the Choonew Clinic Service			the user to choose a		
	Туре	Comm	Command Button			
	Hot Key	None				
Clinic Services Header Image – Clear Image				e user to clear the s Header image section		
	Туре					
	Hot Key	None				
Clinic Services Header Image – Current	This is the currer in the system.	nt Clinic	Services Header	image that is available		
	Туре	Text B	ox			
	Required	NA				
	Length	NA				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	UIOut	outImage.UIOutp	utImage		
Clinic Services Header Image – New	the current imag	e if the	user saves these	age that is will replace changes. The new e command button.		
	Туре	Text B	ox			
	Required	NA				
	Length	NA				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	UIOut	outImage.UIOutp	utImage		
Clinic Services Header Image – File Location		n looks		rices Header image file e Image command		
	Туре	Text B	ox			
	Required	No				
	Length	NA				
	Validation	NA Yes Calculated No				
	Display Only					
	DB Column	Not sto	ored			

Control			Description	Description				
Clinic Services Header Image –	Clicking the File Dialog button allows the user to choose a file from their windows directory for the Clinic Services Header image.							
	Type File Dialog Button							
Clinic Services Breastfeeding Message - Choose Image	Clicking the Choose Image button allows the user to choose a new Clinic Services Breastfeeding Message image.							
	Туре	Type Command Button						
	Hot Key	None						
Clinic Services Breastfeeding Message – Clear Image	Clicking the Clear Image button allows the user to cle Glinic Services Breastfeeding Message image displayed new image section of the screen.							
	Туре	Type Command Button						
	Hot Key	None						
Clinic Services Breastfeeding Message – Current	This is the current Clinic Services Breastfeeding Message ima that is available in the system.							
	Туре	Text B	ox					
	Required	NA						
	Length	NA						
	Validation	NA						
	Display Only	Yes	Calculated	No				
	DB Column	UIOutp	outImage.UIOutp	utImage				
Clinic Services Breastfeeding Message – New	that is will replace	is the new Clinic Services Breastfeeding Message image is will replace the current image if the user saves these ges. The new image is inserted using the Choose Image						
	Туре	Text Box						
	Required	NA						
	Length	NA						
	Validation	NA Yes Calculated No UIOutputImage.UIOutputImage						
	Display Only							
	DB Column							

Control	Description				
Clinic Services Breastfeeding Message - File Location	Message image f	is is the location of the new Clinic Services Breastfeeding essage image file where the system looks when the Choose lage command button is pressed.			
	Type Text Box				
	Required No				
	Length	NA			
	Validation	NA			
	Display Only	Yes Calculated No			
	DB Column	Not sto	ored		
Clinic Services Breastfeeding Message _		Dialog button allows the user to choose a file ows directory for the Clinic Services lessage image.			
	Туре	File Di	alog Button		

- 1. Disable the respective Choose Image button until a file has been selected.
- 2. Disable the respective Clear Image button until an image is displayed in the New field.
- 3. Display an error if the file extension of the file in either File Location is not .jpg.

### **Developer Notes**


- 1. The note in the Header Image group box will be modified according to actual values.
- 2. Display images as close as possible to the actual size based on a 1024 by 768 screen resolution.
- 3. The Client Services Header image will appear in the header of the selected UI outputs. The placement is defined as header left, header middle, or header right.
- 4. The Client Services Breastfeeding image will appear in the footer of the selected UI outputs. The placement is defined as footer left, footer middle, or footer right.
- 5. Both of these images are stored in the table called UIOutputImage. Use the ImageTypeCd to select either CLNS for Clinic Services or BRST for Breastfeeding.

# 12 Users

### 12.1 Search

The Search screen provides functionality to search for users based on criteria entered. A wildcard character (%) may be used to search when specific spellings are not known for the User ID, First Name and/or Last Name. Clicking the Search button on the search screen executes a search using the criteria provided. If more than one search criterion is entered, the criteria are joined by "and(s)" in the search statement.

### > System-Wide Administration > Users > Search



Control	Description					
User ID	The User ID of the selected WIC staff person.					
	Туре	Text Box				
	Required	No				
	Length	60				
	Validation	NA				
	Display Only	No	Calculated	No		
	DB Column	StaffPerson.Us	serID			
Local Agency ID	The Local Agency	y ID.				
	Туре	Text Box				
	Required	No				
	Length	Integer 2				
	Validation	Numeric				
	Display Only	No	Calculated	No		
	DB Column	LocalAgency.F	FLocalAgencyID			
First Name	The User/Staff Person's first name.					
	Туре	Text Box				
	Required	No				
	Length	30				
	Validation	NA				
	Display Only	No	Calculated	No		
	DB Column	StaffPerson.Fir	rstName			
Last Name	The User/Staff P	erson's last nan	ne.			
	Туре	Text Box				
	Required	No				
	Length	30				
	Validation	NA				
	Display Only	No	Calculated	No		
	DB Column	StaffPerson.LastName				
Search	criteria provided	arch command button executes a search using the d. If more than one search criterion is entered, joined by "and(s)" in the search statement.				
	Туре	Command Button				
	Hot Key	Alt + S				

Control		Desc	ription			
Search Results	The Search Results grid displays users matching the search criteria. Since one user may belong to more than one clinic, multiple rows may be returned for a single user.					
Search Results - User ID	Hyperlink to the screen section for		screen. See the	User Properties		
	Туре	Link				
Search Results - Name	The first, middle person.	e initial, last name and suffix of the user/staff				
	Туре	Text box				
	Required	NA				
	Length	NA				
	Validation	NA				
	Display Only	Yes	Calculated	No		
	DB Column	StaffPerson.FirstName, StaffPerson.MiddleInitial, StaffPerson.LastName, StaffPerson.LastNameSuffix				
Search Results - User	The status of the	user/staff pers	on			
Locked	Туре	Text box				
	Required	NA				
	Length	1				
	Validation	NA		_		
	Display Only	Yes	Calculated	No		
	DB Column	StaffPerson.PV	VLockedIn			
Search Results - LA ID	user/staff persor	cy ID the user/staff person is a member of. If the on belongs to more than one Local Agency, the are all listed, separated by commas (31,33,34).				
	Туре	Text box				
	Required	NA				
	Length	2           NA           Yes         Calculated         No				
	Validation					
	Display Only					
	DB Column	LocalAgency.F	FLocalAgencyID			

Control	Description					
Search Results - Status	The status of the user/staff person.					
	Type Text box					
	Required NA					
	Length NA					
	Validation	Validation NA				
	Display Only	Yes Calculated No				
	DB Column StaffPerson.Status					

1. The use of a wild card character (%) as part of the User ID, First Name and/or Last Name search criterion allows for broad searching. Ex: V% entered for User ID would result in all User IDs that started with V. Ve% entered for User ID and D% entered for Last Name would result in all User IDs that started with Ve whose Last Name also started with D.

Developer Notes	
1.	

### 12.2 New User

Clicking the New User leaf node in the System Administration navigation tree displays the User Properties screen described in the next section. The User Properties screen displays in edit mode with all fields blank when a new user is being added.

### 12.3 User Details


The User Details treeview node is disabled until a user is selected from the search screen or the New User treeview node has been clicked.

### 12.3.1 User Properties

The User Properties screen allows the management of user properties. A "user" is someone who has a logon and access to the system. User IDs and clinic assignment(s) are set on this screen. Users log into only one local agency and clinic that they belong to at any given

time. The login process determines the security based on the permission levels set on the units. This screen is also used to reset passwords for users that are disconnected and have been locked out of the system. An email can be sent from this screen to the displayed user notifying him or her that they have a WIC account.

- > System-Wide Administration > Users > New User OR
- > System-Wide Administration > Users > Search (click on User ID link in Search Results)



Control		Desc	ription		
First Name	The first name o	f the user/staff	person.		
	Туре	Text box			
	Required	Yes			
	Length	30			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	StaffPerson.Fir	rstName		
Middle Initial	The middle initia	l of the user/sta	ff person.		
	Туре	Text box			
	Required	No			
	Length	1			
	Validation	NA			
	Display Only	Only No Calculated No			
	DB Column	StaffPerson.Mi	ddleInitial		
Last Name	The last name of	the user/staff p	person.		
	Туре	Text box			
	Required	Yes			
	Length	30			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	StaffPerson.La	stName		
Last Name Suffix	The last name su	uffix of the user	staff person (e.g	. Jr, Sr, II, III).	
	Туре	Text box			
	Required	No			
	Length	4			
	Validation	NA			
	Display Only	No	Calculated	No	
	DB Column	StaffPerson.La	stNameSuffix		

Control	Description				
Email Address	The email address and [.].	ss of the user. T	he address must	contain [@]	
	Туре	Text Box			
	Required	No			
	Length	50			
	Validation	Mask of xxx@x	(XX.XXX		
	Display Only	No	Calculated	No	
	DB Column	StaffPerson.En	nailAddress		
User ID	The User ID of th	ne WIC user/sta	ff person.		
	Туре	Text box			
	Required	Yes			
	Length	60			
	Validation				
	Display Only	No	Calculated	No	
	DB Column	StaffPerson.Us	erId		
Status	The record status	s of the user/sta	aff person (active	, inactive).	
	Туре	List Box			
	Required	Yes			
	DB Column	StaffPerson.Status			
	Code ID	Staff Status This code element is non-editable. Installed values are active, inactive.			
Job Title	The job title of the receptionist, etc.		rson (e.g. nurse, elated to security		
	Туре	List Box			
	Required	No			
	DB Column	StaffPerson.Jol	bTitleCd		
	Code ID	Job Title			
Staff Type		s the user's staff type. The primary purpose of the is for competency tracking. This is not related to s.			
	Туре	List Box			
	Required	No			
	DB Column	StaffPerson.Sta	affTypeCd		
	Code ID	Staff Type Cd			

Control		Desc	ription	
Last Logon Date	The last date the session). The date			ng current
	Туре	Text box		
	Required	No		
	Length	8		
	Validation	Mask of mm/d	d/yyyy	
	Display Only	Yes	Calculated	No
	DB Column	StaffPerson.La	stLogonDt	
Password Details	The Password Details group box is only enabled for disconnected users. The password generated by the Reset Password command button is only a temporary password that can be used while in the disconnected session. Once synchronization occurs, the password will no longer be valid for accessing the WIC system.			ssword nat can be used nization occurs,
Password Details - Password Locked	A checkbox used to indicate the password is locked. A locked password blocks the user from logging on. A system parameter determines the number of unsuccessful logon attempts allowed before a password is locked.			em parameter
	Туре	Checkbox		
	Display Only	No	Calculated	No
	DB Column	StaffPerson.PV	VLockedIn	
Password Details - Reset Password	The Reset Passw Current # of Log password which administrator is a password to the section of this do	on Attempts to is displayed in a responsible for ouser. See the Ro	zero and auto-ge pop-up window. communicating the eset Password Po	nerates a new The system ne new
	Туре	Command But	ton	
	Hot Key	Alt + W		
Password Details - Current # of Failed Logon Attempts	led attempted to logon. A system parameter determines how			ines how many k the password.
	Туре	Text box		
	Required	No		
	Length	1		
	Validation	NA		
	Display Only	Yes	Calculated	No
	DB Column	StaffPerson.Lo	gonAttemptsNr	

Control		Desc	ription				
Clinic Assignment	A tree view diagram of all agencies and clinics. The local agencies and clinics the selected user has access rights to are checked in the tree view.				agencies and clinics the selected user has access rights to a		
	Туре	Data Grid (tree	e view) with chec	kboxes			
	Display Only No Calculated			No			
	DB Column	Clinic.FFLocalAgencyID, LocalAgency.Name, Clinic.FFClinicID, Clinic.Name					
Send Email	Clicking the Send Email command button causes an email to sent to the displayed user indicating his or her userid and password. It is disabled in disconnected mode.						
	Туре	Command But	ton				
	Hot Key	Alt + M					
<last and="" by="" date="" modified="" user=""></last>	In the lower righ update of the use		the user and the splayed.	date of the last			
	Туре	Text Box					
	Required	No					
	Length	NA					
	Validation Mask of `firstname lastname mm/dd/y			m/dd/yyyy'			
	Display Only	Yes	Calculated	No			
	DB Column	StaffPerson.ModifyStfpID + StaffPerson.ModifyDt					

- 1. The user status will default to active.
- 2. When an agency is selected, all associated clinics are automatically selected.
- 3. The Local Agency (in the Clinic Assignment box) cannot be checked if all the clinics within the Local Agency are not checked. Therefore, if a clinic within a Local Agency is unchecked, the system will automatically uncheck the Local Agency if it is checked.
- 4. Display message indicating all clinic permissions will be removed when user is being deactivated.
- 5. Display error if User ID is not unique.
- 6. If a user is deactivated as a clinic user, also deactivate the user as a Breastfeeding Peer Counselor if user is indicated as such. If the user is a BF PC, the user's BF PC record with the most recent effective date will have its Deactivated Date set to Current Date and its Status set to Inactive.
- 7. Display error if user is marked as inactive and the user is assigned as the Local Vendor Contact (Vendor.Stfp\_ID) for a Vendor.

- 8. The Send Email command button is not enabled unless there is a valid email address for the User ID.
- 9. The Send Email command button is not enabled in disconnected mode.
- 10. When the Send Email command button is selected and changes have been made on the screen, but have not been saved, a message box will be displayed asking the user if the changes should be saved. If the response is yes, the changes are saved and the email is sent; otherwise, the changes are not saved and the email is sent.
- 11. The process for resetting a password for a disconnected user is as follows:

User will call the State Help Desk to have the central server password reset including the issuance of a new central server password. The password will be his or her new password when logging on to the central server in a connected mode.

The disconnected local site system admin will reset the user password within the disconnected server. This process will provide the user with a new temporary password that will be valid until synchronization occurs. At that point, the password issued by the State Help Desk will be valid.

### **Developer Notes**

- 1. If Status is changed to Inactive, all Clinic Staff and Clinic Staff Role records for the User are removed.
- 2. The text of the email is as follows: A WIC account has been set up for you. Your userid is <userid>.
- 3. The code to be used for the email validation is:

Dim ex As New Regex(" $([w-\.]+)@(([[0-9]{1,3}\.[0-9]{1,3}\.]([w-\]+\.)+))([a-zA-Z]{2,4}|[0-9]{1,3})(]?)$")$ 

If Not ex.IsMatch(EmailAddress.Value) Then

'It is invalid

End IF

# 12.3.1.1 Reset Password Pop-Up Window

The Reset Password pop-up window displays the new system generated password.



Control	Description				
The new password is	The new system generated password.				
	Type Text Box				
	Required	equired NA			
	Length	NA			
	Validation	Encrypted			
	Display Only	Yes	Calculated	Yes	
	DB Column	StaffPerson.Er	ıcrAppPassword		
Close		Close command button closes the Reset Password ow and returns the user to the User Properties.			
	Туре	Command button			
	Hot Key	Alt + C			

1. The password will be encrypted before being saved.

### **Developer Notes**

1. The system generates the password based on the following rules:

The password should be between <a> and <b> characters

There should be at least <c> Upper case character(s)

There should be at least <d> lower case character(s)

There should be at least <e> special character(s)

There should be at least <f> numeric characters

The values for a, b, c, d, e and f are system parameters.

System Parameter	Purpose	Format
System.PasswordMinim umNumberofCharacters	The minimum number of characters required in a password.	Integer
System.PasswordMinim umNumberofUpperChar acters	The minimum number of uppercase characters required in a password.	Integer
System.LoginAttempts NumberofUnsuccessful BeforeLockingLaptop	The default number of failed logon attempts from a disconnected computer before the user's password is locked.	Integer
System.PasswordMaxi mumNumberofCharacte rs	The maximum number of characters allowed in a password.	Integer
System.PasswordMinim umNumberofNumericC haracters	The minimum number of numeric characters required in a password.	Integer

System Parameter	Purpose	Format
System.PasswordMinim umNumberofLowerChar acters	The minimum number of lower case characters required in a password.	Integer
System.PasswordMinim umNumberofSpecialCh aracters	The minimum number of special characters required in a password.	Integer
System.SMTPServerNa me	The name of the SMTP Server Name that is used when creating the email address.	Character

## 12.3.1.2 Email Confirmation

The Email will be sent to the email address of the User ID on the current screen.

From: <User ID of user sending email>; <Email address of user sending email >

Subject Line: WIC Account Information

<First Name> <Last Name>, <Last Name Suffix>:

A WIC account has been set up for you. Your User ID is <userid>.

### **Business Rules**

1.

## **Developer Notes**


1.

### 12.3.2 User Clinic Permissions

The User Clinic Permissions Screen assigns the Roles for each clinic to which the Staff Person is assigned. If the Staff Person is assigned the same role(s) at all of the clinics he or she is assigned, the roles can be assigned at one time for all of the clinics.

More than one role can be assigned to a staff person at a clinic as long as conflicting permissions would not occur. Roles that are conflicting can be assigned if they are assigned to different clinics.

> System-Wide Administration > Users > User Details > User Clinic Permissions



Control	Description				
User ID	This is the User I permissions are	ID of the staff person to which the clinic assigned.			
	Туре	Text Box			
	Required	NA			
	Length	60			
	Validation	NA			
	Display Only	Yes	Calculated	No	
	DB Column	StaffPerson.Us	serID		
Assign the roles below to all assigned Local Agencies and Clinics.	A check box used same for all assignment		at the staff person ncies and Clinics.	n's roles are the	
	Туре	Checkbox			
	Display Only	Yes, if Local Agency Selected	Calculated	No	
	DB Column	Not Stored			
Local Agency	The ID and Nam	e of the Local A	gency.		
	Туре	List Box			
	Required	Yes, if Assign the roles below to all assigned clinics checkbox is not selected.			
	DB Column	LocalAgency.F LocalAgency.N	FLocalAgencyID, lame		
	Code ID	LocalAgency ta	able lookup		
Clinic	The ID and Name	e of the Clinic w	vithin the LA selec	ted.	
	Туре	List Box			
	Required	Yes, if Assign the roles below to all assigned clinics checkbox is not selected.			
	DB Column	Clinic.FFClinicID, Clinic.Name			
	Code ID	Clinic table loo	kup		
Assigned Roles	The Assigned Ro user is assigned		plays the roles th	e displayed	
	Туре	Checklist			

Control		Desc	ription	
<unnamed checkbox=""></unnamed>	A check box used to indicate if the role is currently assigned to the displayed user.			
	Туре	Checkbox		
	Display Only	No	Calculated	No
	DB Column			
Role Name		/endor Manager	ailable to be assi nent - Vendor Co dministrator).	
	Туре	Text Box		
	Required	NA		
	Length	NA		
	Validation	NA		
	Display Only	Yes	Calculated	No
	DB Column	Role.Name		
Print User Permissions	Clicking the Print Permissions repo		ns button creates yed user.	s the User
	Туре	Command But	ton	
	Hot Key	Alt + P		
<last and="" by="" date="" modified="" user=""></last>			the user and the cord are displaye	
	Туре	Text Box		
	Required	No		
	Length	NA		
	Validation	Mask of `firstname lastname mm/dd/yyyy'		
	Display Only	Yes	Calculated	No
	DB Column	ClinicStaffRole.ModifyStfpID + ClinicStaffRole.ModifyDt		

- 1. Staff persons can be assigned to more than one role at each clinic.
- 2. A Staff Person must be assigned to at least one role at all assigned clinics. Display Error.
- 3. If the "Assign the roles below to all assigned clinics" is selected, Local Agency and Clinic are disabled.
- 4. If the "Assign the roles below to all assigned clinics" is selected, all the clinics that the user is assigned to would have the same roles.
- 5. Individual Clinic roles can be updated by not selecting the "Assign the roles below to all

assigned clinics" checkbox and selecting an individual clinic and updating the roles for the selected clinic.

6. Each role has different unit permissions assigned to it. A staff person cannot be assigned to more than one role at the same clinic if a permission conflict would occur. Display error if conflict would occur. Error must include the detail that allows the end user to determine the specific conflicting permissions.

### Example:

Role 1 contains permissions to Units 1, 2, and 4.

Role 2 contains permissions to Units 1, 5, and 6.

Role 3 contains permissions to Units 3, 7, and 8.

The user can be assigned to the following role(s) because there would not be any permission conflicts:

A - Role 1 or

B - Role 2 or

C - Role 3 or

D - Roles 1 and 3 or

E - Roles 2 and 3

### **Developer Notes**

1.

# **12.3.2.1** Print User Permissions Output

The User Permissions Listing is sent to the user's default printer when the user clicks on the Print User Permissions command button on the User Properties screen.

## 12.3.2.1.1 Language: English

The User Permissions Listing is printed in English only.

### 12.3.2.1.2 User Permissions Listing Mockup

# **WIC Program**

User Permissions for Smith, Jill E. March 3, 2007

Clinic: 01-002 Broadlawns

User Role: CPA

Functional Area: Clinic Services

### Function Area Units:

Units	Change Level	Today	View Level	Execute
		Level		Level
Business Object A	Assigned LAs	Today	Statewide	NA
<b>Business Object A</b>	Assigned LAs	Anytime	Statewide	NA
Business Task 1	NA	NA	NA	Execute

User Role: Support Staff

Functional Area: Vendor Management

### Permissions:

Units	Change Level	Today Level	View Level	Execute Level
Business Object G	Assigned LAs	NA	Statewide	NA
Business Object W	Assigned LAs	NA	Statewide	NA

Clinic: 12 -012 Main Street Clinic

User Role: CPA - Limited Functional Area: Clinic Services

### Function Area Units:

Units	Change Level	Today	View Level	Execute
		Level		Level
Business Object A	Current Clinic	Today	All Clinics - Current LA	NA

### **Business Rules**

1. The date listed in the header is the run date of the report.

Developer Notes	
1.	